

COMPREHENSIVE SUBJECT, AUTHOR, TITLE INDEX¹
VOLUME 29, 1980

F. A. MUMPTON AND J. K. GATTIE

A

- Activation energy
iron oxides, oxyhydroxides by hydrochloric, perchloric acid dissolution 269
- ADAMS, J. M. (with A. W. HEWAT), Hydrogen atom positions in dickite 316
- Adsorption (see also Cation exchange)
alkylphosphoric acid on montmorillonite, hectorite, kaolinite, celadonite in decane 285
boron on illite, montmorillonite, kaolinite, as function of pH, B concentration in solution 198
chlordimeform on montmorillonite, illite, kaolinite, vermiculite 143
complexes of montmorillonite with picloram, IR 191
EG on amine-substituted montmorillonites 60
herbicides on bentonite in aqueous systems 205
large organic cations on bentonite in aqueous systems 205
NH₃, pyridine, NO₂ on silica-hectorite intercalation complex 153
oil on Al-derivatives of chrysotile, kinetics 69
picloram by montmorillonite, saturated by Al, Fe³⁺, Cu²⁺ and coated with hydrous oxides 191
styrene on quaternary ammonium-montmorillonite 294
sulfolane on cation-substituted montmorillonites, IR 71
uranium on montmorillonite by (UO₂)²⁺ cation exchange 10
uranium on montmorillonite, function of ionicity 10
water on clinoptilolite, types, desorption 403
- Adsorption of alkylphosphoric acid on kaolinite and smectite in an organic medium (decane)**, by B. Siefert and J. J. Trescol 285
- Adsorption of ethylene glycol on amine-substituted montmorillonites**, by J. L. Burba, 3rd and J. L. McAtee, Jr. 60
- Akaganeite
activation energy, TEM 269
dissolution rate in hydrochloric, perchloric acid 269
- Albite
authigenic formation, in zeolitic tuffs of Nevada Test Site 385
- Alcohol
grinding of chrysotile in 161
long-spacing organics for calibrating long spacings of interstratified minerals 67
surface area, solubility of chrysotile ground in 161
tetradecanol, XRD 67
- Alkaline lake
aluminosilicate gel, in Teels Marsh, Nevada 341
analcime as indicator of 31
Jurassic, formation of trioctahedral smectite in black shale, mudstone environment 31
zeolite authigenesis from volcanic ash in, Green River Formation 365
zeolite authigenesis from volcanic ash in, Teels Marsh, Nevada 341
zeolite authigenesis in, dependence on lake chemistry 341
- Alkylammonium
montmorillonite complexes with polystyrene, preparation, IR, electrical properties 294
- Alkylphosphoric acid
adsorption on kaolinite, montmorillonite, hectorite, celadonite in decane 285
-kaolinite, -montmorillonite, -hectorite, -celadonite complexes, IR 285
- Allevardite (see Rectorite)
- Allophane
dehydroxylation, dehydration 124
effect of SiO₂/Al₂O₃ ratio on thermal reactions of 124
Fe content, crystallinity index, EPR 23
inclusions in halloysite, effect on outgrowths 1
IR, XRD, chemical analyses 124
polymerization of silica in, during thermal treatment 124
precursor of squat ellipsoids of halloysite 1
- Aluminum
derivatives of chrysotile, surface area, zeta potential, oil adsorption 69
extraction of, from Virginia soil clays by photolytic oxalate treatment 429
goethites, synthesis, properties, stability as function of Al content 91
-montmorillonite, -hydrous oxide-coated montmorillonite, IR of picloram complexes with 191
oxide variation with bulk density in diabase saprolite 184
release during carbonic acid dissolution of phlogopite in open, closed systems 101, 107

¹ All items are indexed to the first page of the journal article in which they appear.

- Alunite**
mid-IR spectra, remote sensing by mid-IR spectroscopy 76
- Amine**
-substituted montmorillonites, synthesis, surface area 60
-substituted montmorillonites, XRD, TGA, adsorption of EG 60
- Ammonium**
quaternary, montmorillonite-polystyrene complex, preparation, electrical properties, IR 294
-treated dioctahedral smectite, IR of, for determination of interlayer surface heterogeneity 260
-treated dioctahedral smectite, IR of, for determination of tetrahedral substitution 260
-treated dioctahedral smectite, IR of, thermally treated 260
-treated montmorillonite, interstratified structures with EG and water, XRD, distribution of layers 40
-treated montmorillonites/EG interstratification complex, calculation of layer charge 47
- Amorphous (noncrystalline)**
aluminosilicate gel, hydrothermal treatment of 446
aluminosilicate gel, in tuffs, Teels Marsh, Nevada, formation of, SEM 341
aluminosilicate gel, kaolinite-like products from, XRD, IR, DTA, surface area 446
aluminosilicates, silica in kinetic model of zeolite paragenesis in tuffs 323
material, production by heating attapulgite 53
material, production of, by grinding chrysotile in water, alcohols, hydrocarbons 161
phillipsite from aluminosilicate gel, tuffaceous sediments, Teels Marsh, Nevada 341
- Amphibole**
book review, *Short Course Notes on Mineralogical Techniques of Asbestos Determination*, edited by R. L. Ledoux 459
- Analcime**
authigenic, from zeolite precursors in tuff in Green River Formation 365
authigenic, in Green River Formation, chemical analyses, SEM, petrography 365
diagenetic, in zeolitic tuffs, Nevada Test Site, with K-feldspar, mixed-layer illite/smectite, albite 385
diagenetic, Nevada Test Site, formation from clinoptilolite 385
diagenetic, Nevada Test Site, SEM, chemical composition 385
in Jurassic black shale, indicator of alkaline lake environment 31
in tuffaceous sediments, Teels Marsh, Nevada, associated with phillipsite 341
precursor of K-feldspar, zeolitic tuff in Green River Formation 365
role in kinetic model of zeolite paragenesis 323
SEM 365, 385
- Anion exchange**
capacity for fluoride, of H⁺-montmorillonite, H⁺-kaolinite, Na⁺-hectorite, Na⁺-montmorillonite 285
- Anion-exchange capacity (AEC) (see Anion exchange)**
- Announcement**
18th annual meeting, The Clay Minerals Society 160, 240
meeting, Minerals and Chemicals in Glass and Ceramics—The Next Decade 320
symposium, Geologic Materials: An SEM View From Within 80
Zeo-Agriculture '82—A Conference on the Use of Natural Zeolites in Agriculture and Aquaculture 412
- Anorthite**
hexagonal, synthesis with Ca-zeolites from nepheline, in open hydrothermal system 171
synthesis with Ca-zeolites from basaltic volcanic glass, oligoclase in open hydrothermal system 171
- AOCHI, Y. (with W. J. FARMER), Infrared spectroscopy of picloram interactions with Al(III)-, Fe(III)-, and Cu(II)-saturated and hydrous oxide-coated montmorillonite 191**
- Application of electron paramagnetic resonance and Mössbauer spectroscopy in the investigation of kaolinite-group minerals**, by J. Komusinski, L. Stoch, and S. M. Dubiel 23
- APRIL, R. H., Trioctahedral smectite and interstratified chlorite/smectite in Jurassic strata of the Connecticut Valley 31**
- Arsenic**
nonoxidation of As(III) to As(V) by clay minerals 219
role of Mn in oxidation of As(III) to As(V) by freshwater lake sediments 219
- Asbestos (see also Chrysotile)**
Al-derivatives, kinetics of oil adsorption, surface area 69
book review, *Short Course Notes on Mineralogical Techniques for Asbestos Determination*, edited by R. L. Ledoux 459
defiberization, by grinding in water, hydrocarbons, alcohol 161
for elimination of used oil emulsions 69
grinding of, in water, hydrocarbons, alcohol 161
- Atomic coordinates**
H, in boehmite, by XRD and molecular orbital studies 435
H, OH, in dickite, by neutron diffraction 316

Attapulgite (see also Palygorskite)

- Ca-treated, dehydrated Ca-treated, water loss, surface area, CEC, Mg-release, SEM 53
- Ca-treated, isomerization of adsorbed parathion on thermally treated, Ca-exchanged 53
- Ca-treated, loss of zeolitic water at 110°C 53
- Ca-treated, stability of parathion on, by structure, hydration changes 53
- Ca-treated, two-step loss of bound water, at 250°C, 450°C 53

Attrition (see Grinding)

Authigenesis (see also Diagenesis)

- formation of laumontite, thenardite, gypsum, quartz, in hot spring deposits 1039
- formation of phillipsite from rhyolitic glass, aluminosilicate gel, Teels Marsh, Nevada 341
- formation of trioctahedral smectite in Jurassic black shale, mudstone 31
- in Jurassic alkaline lakes, of black shale, mudstone 31
- of heulandite-group minerals, K-feldspar, analcime in tuff of Green River Formation 365
- zeolite, clay minerals, feldspars, kinetic model of paragenesis in tuffaceous sediments 323
- zeolite formation in tuff of Green River Formation 365

B

BAILEY, S. W. (with T. H. SWANSON), Redetermination of the lepidolite- $2M_1$ structure 81

BARNES, IVAN (with T. H. MCCULLOH, V. A. FRIZZELL, JR., and R. J. STEWART), Precipitation of laumontite with quartz, thenardite, and gypsum at Sespe Hot Springs, western Transverse Ranges, California 353

Basal spacing

- Ca-bearing rectorite, from roseki deposit 236
- homoionic montmorillonite-chlordimeform adsorption complexes 143
- Na⁺-hectorite, Na⁺-montmorillonite, H⁺-kaolinite, H⁺-montmorillonite 285
- of interstratified minerals, calibration with long-spacing organics 67
- organoammonium-montmorillonite in styrene 294
- uranyl montmorillonite, variation with RH, temperature 10
- Virginia soil clays, before and after photolytic oxalate treatment 429

Basalt

- basaltic volcanic glass, anorthite, Ca-zeolite synthesis from, in open hydrothermal system 171
- weathered, trioctahedral, intermediate di-, trioctahedral smectite in soils from 277

BASTOVANOV, MARIJA (with A. TSUNASHIMA and G. W. BRINDLEY), Adsorption of uranium from solutions by montmorillonite; compositions and properties of uranyl montmorillonites 10

Beidellite

/margarite (rectorite) from roseki deposit, XRD, IR, DTA, chemical analysis, TEM 236

Bentonite (see also Montmorillonite, Smectite)

- adsorption of large organic cations on, in aqueous solution 205
- burial, contact metamorphism of clays in, in Mancos Shale 249
- illite/smectite in, chemical composition, XRD, formation from smectite 113
- K-, chemical composition, XRD, formation 113
- percent illite in illite/smectite in, by XRD 249

Black shale

- deposition of trioctahedral smectite in Jurassic alkaline lakes 31
- trioctahedral smectite in, transformation to chlorite/smectite 31

Boehmite

- crystal structure refinement 435
- H positions, OH orientation, by single crystal X-ray diffraction 435
- molecular orbital study 435

Bonding

- hydrogen-bond geometry in dickite, by neutron diffraction 316

Book review

- Advanced Chemical Methods for Soil and Clay Minerals Research*, edited by J. W. Stucki and W. L. Banwart 319
- Continental Red Beds*, by P. Turner 79
- Short Course Notes on Mineralogical Techniques of Asbestos Determination*, edited by R. L. Ledoux 459

Boron

- adsorption on illite, kaolinite, montmorillonite, as functions of pH, B concentration in solution 198

Boron adsorption by clay minerals using a phenomenological equation, by R. Keren and U. Mezuman 198

BRINDLEY, G. W. (with A. TSUNASHIMA and MARIJA BASTOVANOV), Adsorption of uranium from solutions by montmorillonite; compositions and properties of uranyl montmorillonites 10

BRINDLEY, G. W., book review, *Advanced Chemical Methods for Soil and Clay Minerals Research*, edited by J. W. Stucki and W. L. Banwart 319

BRINDLEY, G. W., Long-spacing organics for calibrating long spacings of interstratified clay minerals 67

Brine

- hydrothermal, vermiculite formation in, Atlantis II Deep, Red Sea 454
- interstitial, sodium carbonate, reaction with tuffaceous sediments of Green River Formation 365
- interstitial, Teels Marsh, Nevada, chemical composition, relation to authigenic zeolites 341

Brucite

formation of chlorite/smectite by fixation of brucitic layers in trioctahedral smectite 31

BURBA, 3RD, J. L. (with J. L. MCATEE, JR.), Adsorption of ethylene glycol on amine-substituted montmorillonites 60

Burial and contact metamorphism in the Mancos Shale, by P. H. Nadeau and R. C. Reynolds, Jr. 249

Burial diagenesis (see Diagenesis)

Burial metamorphism (see Metamorphism, Diagenesis)

C

Ca-bearing rectorite from Tooho Mine, Japan, by Tsutomu Nishiyama and Susumu Shimoda 236

Calcite

distribution in zeolitic tuffs, Nevada Test Site 385

Calcium

zeolites, hydrothermal synthesis in open systems 171

zeolites, synthetic, XRD, SEM 171

Calibration

long spacings of interstratified minerals with long-spacing organics 67

Carbon dioxide

-saturated water dissolution of phlogopite, kinetics in open system using ion-exchange resin 107

-saturated water dissolution of phlogopite, Mg-, Al-, K-, Si-, Fe-release 101, 107

Carbonic acid (see Carbon dioxide)

CARIATI, F. (with L. ERRE, G. MICERA, P. PIU, and C. GESSA), Water molecules and hydroxyl groups in montmorillonites as studied by near infrared spectroscopy 157

Cathode luminescence

hydrothermal kaolinite, nacrite, dickite, Nayarit, Mexico 451

Cation exchange

chlordimeform on montmorillonite, illite, vermiculite, kaolinite 143

immobilization of Cs from spent nuclear fuel elements by montmorillonite 299

isotherms, phillipsite in Na-Ca, Na-K systems 397

resin, use of, in open-system dissolution of phlogopite 107

selectivity of montmorillonite for $(\text{UO}_2)^{2+}$ vs. Na, Ca, K, Mg, Ba 10

uranyl ions in montmorillonite 10

Cation-exchange capacity (CEC)

bottom-sediment clays as a function of time 17

Ca-attapulgite, dehydrated Ca-attapulgite 53

H^+ -kaolinite, H^+ -montmorillonite, Na^+ -montmorillonite, Na^+ -hectorite 285

montmorillonite, Aterazawa Mine, Japan 294

Na-montmorillonite, Na-kaolinite, K-illite, Mg-vermiculite 143

phlogopite, Madagascar 101

silica-hectorite intercalation complex 153

smectite-rich soil clays from weathered basalt 277

Cation-exchange reactions of siliceous and aluminous phillipsites, by Yasuhiro Shibue 397

Cation fixation

Cs, by interlayer collapse of montmorillonite after ion exchange 299

U, Cs on clays and shales under hydrothermal conditions 299

Cation selectivity

of montmorillonite for $(\text{UO}_2)^{2+}$ vs. Na, Ca, K, Mg, Ba 10

phillipsite, high-, low-silica types 397

CEBULA, D. J. (with R. H. OTTEWILL), Neutron diffraction studies on lithium montmorillonite-water dispersions 73

CEBULA, D. J. (with R. K. THOMAS and J. W. WHITE), Diffusion of water in Li-montmorillonites studied by quasielastic neutron scattering 241

CEC (see Cation-exchange capacity)

Celadonite

adsorption of alkylphosphoric acid on, in decane 285

-alkylphosphoric acid complex, IR 285

Ceramics

meeting announcement, Minerals and Chemicals in Glass and Ceramics—The Next Decade 320

Cesium

fixation in montmorillonite by ion exchange 299

immobilization of, from spent nuclear fuel elements by hydrothermal reaction with shale, clay minerals 299

pollucite formation by hydrothermal reaction of, with shale, clay minerals 299

wecksite formation, by hydrothermal reaction of beta- $\text{Cs}_2\text{U}_2\text{O}_7$ with shale, clay minerals 299

Chemical analysis

allophanes of different $\text{SiO}_2/\text{Al}_2\text{O}_3$ ratios 124

analcime, clinoptilolite by electron microprobe, Nevada Test Site 385

brines associated with zeolitic tuffs, Teels Marsh, Nevada 341

Ca-bearing rectorite, roseki deposit 236

Cr-dickite, Cr-kaolinite in epithermal sulfide vein, Teslic, Yugoslavia 213

H^+ -kaolinite, H^+ -montmorillonite, Na^+ -hectorite, Na^+ -montmorillonite 255

heulandite-group zeolites, analcime, from the Green River Formation 365

high-, low-silica phillipsite 397

hot spring water, Sespe Hot Springs, California 353

illite/smectite in Eocene sandstone, shale 136

illite/smectite in Ordovician K-bentonites 113

kaolinite-, Fe-smectite-rich diabase saprolite 184

laumontite, authigenic, in hot spring deposit 353

- lepidolite, by electron microprobe, Biskupica, Czechoslovakia 81
- montmorillonite, Borša, Czechoslovakia; Chambers, Arizona; Zajsanskij, U.S.S.R. 40
- Na-montmorillonite, Volclay 10
- phillipsite, rhyolitic glass, in playa sediments, Teels Marsh, Nevada 341
- phlogopite, Madagascar 101
- shales, for reaction with spent nuclear fuel elements 299
- trioctahedral smectite, chlorite/smectite from Jurassic black shale 31
- uranyl montmorillonite 10
- vermiculite, vermiculitic clays, hydrothermal, Atlantis II Deep, Red Sea 454
- woolly erionite, in mudstone joints in tuffaceous sediments 378
- zeolitic tuffs, Nevada Test Site 385
- Chemical characteristics and origin of Ordovician K-bentonites along the Cincinnati Arch**, by W. D. Huff and A. G. Türkmenoglu 113
- Chemical techniques**
- book review, *Advanced Chemical Methods for Soil and Clay Minerals Research*, edited by J. W. Stucki and W. L. Banwart 319
- evaluation of chrysotile by, book review, *Short Course Notes on Mineralogical Techniques of Asbestos Determination*, edited by R. L. Ledoux 459
- photolytic oxalate treatment, removal of Fe, Al, Mg 429
- Chemical treatment**
- acid, base dissolution of smectite from basalt-derived soil 277
- analyses of acid-, base-dissolved material for octahedral composition of smectite 277
- hydrothermal, of smectite to yield illite/smectite 129
- phlogopite by CO₂-saturated solution in open, closed systems 101, 107
- photolytic oxalate extraction of Al, Fe from Virginia soil clays 429
- photolytic oxalate, of Virginia soil clays, effect on basal spacings 429
- CHEN, H. S. (with L. R. GARDNER and I. KHEORUENROMNE), Geochemistry and mineralogy of an unusual diabase saprolite near Columbia, South Carolina 184
- Chlordimeform**
- adsorption on montmorillonite, illite, kaolinite, vermiculite 143
- montmorillonite, -illite, -kaolinite, -vermiculite adsorption complexes, XRD, IR 143
- Chlorite**
- hydrothermal reaction with Cs from spent nuclear fuel elements 299
- in pores of petroleum reservoir sandstone, SEM 233
- /smectite in Jurassic mudstone, black shale, XRD, formation, chemical analysis 31
- /smectite, regular (corrensite), XRD, SEM, in petroleum reservoir sandstones 233
- /smectite, transformation of trioctahedral smectite by fixation of brucitic layers 31
- /smectite, XRD 31, 233
- CHOURABI, B. (with J. J. FRIPIAT), Determination of tetrahedral substitutions and interlayer surface heterogeneity from vibrational spectra of ammonium in smectites 260
- Chromite**
- minute grains in Cr-dickite, Cr-kaolinite in epithermal sulfide veins 213
- Chromium**
- bearing dickite, -bearing kaolinite in epithermal sulfide veins, XRD, IR, chemical analysis 213
- Chromium-bearing dickite and chromium-bearing kaolinite from Teslić, Yugoslavia**, by Zoran Maksimović, J. L. White, and Mihovil Logar 213
- Chrysotile** (see also Asbestos, Serpentine)
- Al-derivatives, kinetics of oil adsorption, surface area, zeta potential 69
- book review, *Short Course Notes on Mineralogical Techniques for Asbestos Determination*, edited by R. L. Ledoux 459
- for elimination of used oil emulsions 69
- grinding of, in water, hydrocarbons, alcohol 161
- ground in water, hydrocarbons, alcohol, IR, XRD, DTA, TGA, surface area, surface charge, SEM, TEM 161
- ground in water, hydrocarbons, alcohol, Mg-dissolution kinetics, defiberization 161
- ČIČEL, BLAHOŠLAV (with DANIEL MACHAJDIK), Potassium- and ammonium-treated montmorillonites. I. Interstratified structures with ethylene glycol and water 40
- ČIČEL, BLAHOŠLAV (with DANIEL MACHAJDIK), Potassium- and ammonium-treated montmorillonites. II. Calculation of characteristic layer charges 47
- Clay Minerals Society, The**
- announcement, 18th annual meeting 160, 240
- Clay-organic complexes** (see also Organo clays)
- alkylammonium-montmorillonite-polystyrene, preparation, electrical properties, IR 294
- chlordimeform-montmorillonite, -illite, -kaolinite, -vermiculite, preparation 143
- parathion-Ca-attapulgit, preparation 53
- Clay-water system**
- Li-montmorillonite dispersions, neutron diffraction of 73
- water diffusion in Li-montmorillonite by quasi-elastic neutron scattering 241
- water molecules, OH groups in montmorillonite by near-IR, diffuse reflectance spectroscopy 157

- CLEMENCY, C. V. (with F.-C. LIN), Dissolution kinetics of phlogopite. I. Closed system 101
- CLEMENCY, C. V. (with F.-C. LIN), Dissolution kinetics of phlogopite. II. Open system using an ion-exchange resin 107
- Clinoptilolite
alteration to analcime in tuffs of Nevada Test Site 385
authigenic, in Green River Formation, formation from volcanic ash 365
authigenic, in tuff of Green River Formation, SEM, chemical analysis, petrography 365
authigenic, in zeolitic tuffs, Nevada Test Site, SEM, petrography, chemical composition 385
formation from volcanic glass, in tuffs of Nevada Test Site 385
-heulandite intermediate, in Green River Formation, formation, chemical analyses 365
in playa lake sediments with phillipsite, Teels Marsh, Nevada 341
kinetics of formation from volcanic glass 331
-rich tuffs, Nevada Test Site, thermal analysis 403
synthesis from volcanic glass under hydrothermal conditions 331
types of zeolitic water in, by TGA, DSC 403
- Closed system
dissolution kinetics of phlogopite in 101
saline, alkaline lake, zeolite formation in Green River Formation 365
saline, alkaline lake, zeolite formation, Teels Marsh, Nevada 341
zeolite diagenesis, Nevada Test Site, in closed hydrologic systems 385
- Coal
rank vs. degree of burial metamorphism of clays in Mancos Shale 249
- Colorado Plateau
burial, contact metamorphism of clays in Mancos Shale 249
coal rank vs. degree of burial metamorphism of clays in Mancos Shale 249
interstratified illite/smectite in Mancos Shale 249
- Composition and origin of smectite in soils derived from basalt in Northern Ireland**, by D. Curtin and G. W. Smillie 277
- CONDRATE, R. A., SR. (with V. LORPRAYOON), Infrared spectra of sulfolane adsorbed on cation-substituted montmorillonites 71
- Contact metamorphism
clays in shales, bentonites of Mancos Shale 249
transformation of smectite to illite/smectite during 249
- Copper
-montmorillonite, -hydrous oxide-coated montmorillonite, IR of picloram complexes with 191
- CORNELL, R. M. (with P. S. SIDHU, R. J. GILKES, A. M. POSNER, and J. P. QUIRK), Dissolution of iron oxides and oxyhydroxides in hydrochloric and perchloric acids 269
- Corrensite
in pores of reservoir sandstone, XRD, SEM 233
- Crestone (silica cap)
overlying deposit of kaolinite, nacrite, dickite, Nayarit, Mexico 451
- Cristobalite
authigenic, formation in zeolitic tuffs, Nevada Test Site 385
authigenic, Nevada Test Site, SEM 385
- Crystal growth
Archimedean, equiangular, of halloysite 1
halloysite, by SEM, TEM 1
halloysite, crystal dislocations 1
halloysite, lattice-building mechanisms 1
- Crystal size
synthetic Al-goethites, as function of Al content 91
- Crystal structure
boehmite, refinement 435
H, OH atomic coordinates in dickite by neutron diffraction 316
H positions, OH orientations in boehmite 435
lepidolite- $2M_1$, Biskupice, Czechoslovakia, redetermination 81
Li-micas, comparison of structural features 81
- CURTIN, D. (with G. W. SMILLIE), Composition and origin of smectite in soils derived from basalt in Northern Ireland 277
- D
- DE KIMPE, C. R. (with H. KODAMA and R. RIVARD), Hydrothermal formation of a kaolinite-like product from noncrystalline aluminosilicate gels 446
- Decane
adsorption of alkylphosphoric acid on montmorillonite, hectorite, kaolinite, celadonite in 285
- Deep Sea Drilling Project (DSDP)
Site 180, Aleutian Trench, O^{18}/O^{16} ratios, mineralogy of clays at 309
- Deep sea sediments
Aleutian Trench, detrital origin 309
mineralogy, O^{18}/O^{16} ratios, D/H ratios of clay fractions 309
- Dehydration
near-IR, diffuse reflectance spectroscopy of dehydrated montmorillonites 157
stability of parathion on Ca-treated attapulgite as affected by 53
- Dehydroxylation (see also Dehydration)
octahedral occupancy in sepiolite, palygorskite during 226
- Density
bulk, variations of SiO_2 , Al_2O_3 , MgO, H_2O , FeO, Fe_2O_3 with, in diabase saprolite 184

- bulk, variations of XRD properties of kaolinite, smectite with, in diabase saprolite 184
- Determination of tetrahedral substitutions and interlayer surface heterogeneity from vibrational spectra of ammonium in smectites**, by B. Chourabi and J. J. Fripiat 260
- Diabase**
 saprolite, formation of kaolinite, Al-rich smectite in 184
 saprolite, geochemical, mineralogical discontinuities in 184
- Diagenesis (see also Authigenesis)**
 bottom-sediment clays, Auglaize River, Ohio 17
 burial, relation of authigenic laumontite to 353
 chlorite, illite, corrensite in pores of petroleum reservoir sandstone 233
 chlorite/smectite in Jurassic black shale, mudstone 31
 illite/smectite in Eocene sandstone, shale 136
 vertical zonation, zeolitic tuffs, Nevada Test Site, due to changing pore-water chemistry, increased thermal gradient 385
 zeolites in tuffs of Nevada Test Site in closed hydrologic system 385
 zeolites, Nevada Test Site, open vs. closed hydrologic systems 385
- Diaspore**
 -goethite solid solution, synthesis, properties, stability 91
- DIBBLE, W. E., JR. (with W. A. TILLER)**, Kinetic model of zeolite paragenesis in tuffaceous sediments 323
- Dickite**
 Cr-bearing, from epithermal sulfide vein, XRD, IR, chemical analysis 213
 Fe content, EPR, Mössbauer spectroscopy 23
 H, OH atomic coordinates in, by neutron diffraction 316
 hydrogen-bond symmetry in, by neutron diffraction 316
 hydrothermal, cathode luminescence 451
 mid-IR spectra, remote sensing by mid-IR spectroscopy 76
 with kaolinite, nacrite, in hydrothermal deposit, Nayarit, Mexico, XRD, SEM 451
- Differential scanning calorimetry (DSC)**
 clinoptilolite-rich tuffs, Nevada Test Site 403
 types of zeolitic water by, in clinoptilolite-rich tuffs 403
- Differential thermal analysis (DTA)**
 Ca-bearing rectorite from roseki deposit 236
 chrysotile ground in water, hydrocarbons, alcohol 161
 clinoptilolite-rich tuffs, Nevada Test Site, by DSC 403
 nacrite, hydrothermal deposit, Nayarit, Mexico 451
 products of hydrothermal treatment of aluminosilicate gels 446
 soil clays from weathered basalt 277
 synthetic Al-goethites, as function of Al content 91
 vermiculite, hydrothermal, Atlantis II Deep, Red Sea 454
- Diffuse reflectance spectroscopy**
 montmorillonite, water molecules, OH groups in 51
- Diffusion**
 water in montmorillonite by quasielastic neutron scattering 241
 water, translational coefficient in montmorillonite 241
- Diffusion of water in Li-montmorillonites studied by quasielastic neutron scattering**, by D. J. Cebula, R. K. Thomas, and J. W. White 241
- Diquat**
 adsorption on bentonite in aqueous system 205
- Dissolution**
 acid, base, of smectite from basalt-derived soils 277
 -growth reactions in glassy sediments, kinetics 323
 K-, Mg-, Al-, Si-, Fe-release during carbonic acid dissolution of phlogopite 101, 107
 kinetics in zeolite paragenesis in tuffaceous sediments 323
 kinetics of phlogopite in open, closed systems 101, 107
 kinetics of volcanic glass, under hydrothermal conditions 331
 materials, analysis of, as estimate of octahedral occupancy of soil smectite 277
 rates of iron oxides, oxyhydroxides, activation energies from 269
 rates of iron oxides, oxyhydroxides in hydrochloric, perchloric acid 269
 silica, in solid state conversion of smectite to illite 129
- Dissolution kinetics of phlogopite. I. Closed system**, by F-C. Lin and C. V. Clemency 101
- Dissolution kinetics of phlogopite. II. Open system using an ion-exchange resin**, by C. V. Clemency and F-C. Lin 107
- Dissolution of iron oxides and oxyhydroxides in hydrochloric and perchloric acids**, by P. S. Sidhu, R. J. Gilkes, R. M. Cornell, A. M. Posner, and J. P. Quirk 269
- DIXON, J. B. (with M. V. FEY)**, Synthesis and properties of poorly crystalline hydrated aluminous goethites 91
- Dolomite**
 in Jurassic black shales, mudstones 31
- DSC (see Differential scanning calorimetry)**
- DTA (see Differential thermal analysis)**
- DUBIEL, S. M. (with J. KOMUSINSKI and L. STOCH)**, Application of electron paramagnetic resonance

and Mössbauer spectroscopy in the investigation of kaolinite-group minerals 23

E

EDX (see Energy dispersive X-ray analysis, Electron microprobe analysis)

Effect of photolytic oxalate treatment on soil hydroxy-interlayered vermiculites, by S. S. Iyengar, L. W. Zelazny, and D. C. Martens 429

Effect of SiO₂/Al₂O₃ ratio on the thermal reactions of allophane II. Infrared and X-ray powder diffraction data, by Teruo Henmi, Kazuhiko Tange, Tetsuo Minagawa, and Naganori Yoshinaga 124

EG (see Ethylene glycol)

Electrical conductivity and the surface characteristics of kaolinitic clays and clay-humic acid complexes, by N. C. Lockhart, 423

Electrical properties

conductivity, kaolinite, kaolinite-humic acid complexes 423

electrophoresis, kaolinite, kaolinite-humic acid complexes 423

quaternary ammonium montmorillonite-polystyrene complexes 294

volume resistivity of alkylammonium montmorillonite-polystyrene complexes 294

Electron microprobe analysis (see also Energy dispersive X-ray analysis)

analcime, clinoptilolite, in tuffs of Nevada Test Site 385

Cr-dickite, Cr-kaolinite, in epithermal sulfide vein, Teslić, Yugoslavia 213

laumontite, authigenic, hot spring deposit 353

lepidolite, Biskupice, Czechoslovakia 81

Electron paramagnetic resonance (EPR)

dependence on orientation of layers in kaolinite-group minerals 23

kaolinite, dickite, nacrite, allophane, halloysite 23

silicate glass 23

Electron spin resonance (ESR)

book review, *Advanced Chemical Methods for Soil and Clay Minerals Research*, edited by J. W. Stucki and W. L. Banwart 319

Electrophoresis

kaolinite, kaolinite-humic acid complexes 423

ENDO, T. (with M. M. MORTLAND and T. J. PINNAVAIA), Properties of silica-intercalated hectorite 153

Energy dispersive X-ray analysis (EDX) (see Electron microprobe analysis)

Epistilbite

synthesis from rhyolitic volcanic glass in open hydrothermal system 171

synthetic, XRD, SEM, alteration to wairakite 171

EPR (see Electron paramagnetic resonance)

Equilibration of clays in natural and simulated bottom-

sediment environments, by F. A. Rhoton and N. E. Smeck 17

Erionite

crystal chemical analyses 378

woolly, in mudstone joints in tuffaceous sediments, Reese River, Nevada 378

woolly, XRD, SEM, chemical composition 378

ERRE, L. (with F. CARIATI, G. MICERA, P. PIU, and C. GESSA), Water molecules and hydroxyl groups in montmorillonites as studied by near infrared spectroscopy 157

ESLINGER, E. V. (with H-W. YEH), Mineralogy, O¹⁸/O¹⁶, and D/H ratios of clay-rich sediments from Deep Sea Drilling Project Site 180, Aleutian Trench 309

ESP (see Electron spin resonance)

Ethylene glycol (EG)

interstratification complex with K-, NH₄-treated montmorillonite, calculation of layer charge 47

interstratified complex with K-, NH₄-treated montmorillonites, XRD, distribution of layers 40

-treated vermiculite, Atlantis II Deep, Red Sea, XRD identification 454

Expandability

illite/smectite, K-, Li-treated from Eocene shale, sandstone 136

montmorillonite after K-, Na-hydrothermal treatment 129

Experiments on the hydrothermal formation of calcium zeolites, by Ulrike Wirsching 171

F

FARMER, W. J. (with Y. AOCHI), Infrared spectroscopy of picloram interactions with Al(III)-, Fe(III)-, and Cu(II)-saturated and hydrous oxide-coated montmorillonite 191

Feldspar (see also individual minerals)

authigenic K-feldspar, albite, in zeolitic tuffs, Nevada Test Site, SEM, electron microprobe analysis 385

authigenic K-feldspar, formation, SEM, in tuff of Green River Formation 365

inclusions in halloysite, effect on outgrowths 1

nonoxidation of As(III) to As(V) by 219

precursor of elongate ellipsoids of halloysite 1

synthesis of anorthite, K-feldspar from volcanic ash, nepheline, oligoclase 171

synthesis of Ca-zeolites, K-feldspar, montmorillonite from, in open hydrologic system 171

Ferrihydrite

inclusions in halloysite, effect on outgrowths 1

FEY, M. V. (with J. B. DIXON), Synthesis and properties of poorly crystalline hydrated aluminous goethites 91

Fiber

- Al-derivative of chrysotile, surface area, surface charge, oil adsorption 69
- Al-goethite, synthesis, morphology, properties 91
- attapulgitic, stability of parathion on 53
- book review, *Short Course Notes on Mineralogical Techniques of Asbestos Determination*, edited by R. L. Ledoux 459
- chrysotile, prolonged grinding of, in water, hydrocarbons, alcohol 161
- defiberization of chrysotile by grinding in water, hydrocarbons, alcohol 161
- erionite, woolly, in lacustrine, tuffaceous sediments, SEM, chemical composition 378
- goethite, lepidocrocite, akaganeite, morphology during acid dissolution 269
- ground chrysotile, surface area, surface charge, Mg-dissolution kinetics, XRD, IR, DTA, TGA 161
- halloysite from allophane, feldspar 1
- mordenite, in zeolitic tuffs, Nevada Test Site, SEM 385
- mordenite on clinoptilolite in zeolitic tuff, Green River Formation 365
- use of chrysotile in elimination of used oil emulsions 69
- Fluorine**
- release during carbonic acid dissolution of phlogopite in open, closed systems 101, 107
- FRIPIAT, J. J. (with B. CHOURABI), Determination of tetrahedral substitutions and interlayer surface heterogeneity from vibrational spectra of ammonium in smectites 260
- FRIZZELL, JR., V. A. (with T. H. McCULLOH, R. J. STEWART, and IVAN BARNES), Precipitation of laumontite with quartz, thenardite, and gypsum at Sespe Hot Springs, western Transverse Ranges, California 353
- G**
- GARDNER, L. R. (with I. KHEORUENROMNE and H. S. CHEN), Geochemistry and mineralogy of an unusual diabase saprolite near Columbia, South Carolina 184
- Gel**
- aluminosilicate, formation of phillipsite from, SEM 341
- aluminosilicate, from rhyolitic glass, Teels Marsh, Nevada, precursor of authigenic zeolites 341
- aluminosilicate, hydrothermal treatment 446
- aluminosilicate, kaolinite-like products from, XRD, IR, DTA, surface area 446
- aluminosilicate, silica, in kinetic model of zeolite paragenesis in tuffs 323
- Geochemistry**
- diabase saprolite, discontinuities in 184
- Geochemistry and mineralogy of an unusual diabase saprolite near Columbia, South Carolina**, by L. R. Gardner, I. Kheoruenromne, and H. S. Chen 184
- GERSTL, ZEV (with BRUNO YARON), Stability of parathion on attapulgitic as affected by structural and hydration changes 53
- GESSA, C. (with F. CARIATI, L. ERRE, G. MICERA, and P. PIU), Water molecules and hydroxyl groups in montmorillonites as studied by near infrared spectroscopy 157
- GILKES, R. J. (with P. S. SIDHU, R. M. CORNELL, A. M. POSNER, and J. P. QUIRK), Dissolution of iron oxides and oxyhydroxides in hydrochloric and perchloric acids 269
- Gismondine**
- synthesis from nepheline in open hydrothermal system 171
- synthetic, XRD, SEM 171
- Glass** (see also Volcanic ash)
- meeting announcement, Minerals and Chemicals in Glass and Ceramics—The Next Decade 320
- Goethite**
- activation energy, TEM 269
- dissolution rate in hydrochloric, perchloric acid 269
- synthetic Al-, DTA, hydration effects 91
- synthetic Al-, morphology, TEM, dimensions, surface area 91
- synthetic Al-, synthesis, properties, stability 91
- synthetic Al-, XRD, unit-cell parameters, IR 91
- Green River Formation**
- formation of zeolites in tuff in saline, alkaline lake deposits in 365
- tuff, clinoptilolite, heulandite, analcime, mordenite in 365
- zeolite authigenesis in ancient Lake Gosiute 365
- Grinding**
- chrysotile in water, hydrocarbons, alcohol 161
- defiberization of chrysotile by, in water, hydrocarbons, alcohol 161
- Grinding of chrysotile in hydrocarbons, alcohol, and water**, by Eugène Papirer and Patrick Roland 161
- GUDE, A. J., 3RD (with R. A. SHEPPARD), Woolly erionite from the Reese River zeolite deposit, Lander County, Nevada, and its relationship to other erionites 378
- GUY, R. D. (with D. R. NARINE), Interactions of some large organic cations with bentonite in dilute aqueous systems 205
- Gypsum**
- in playa lake sediments, Teels Marsh, Nevada, associated with authigenic zeolites 341
- with laumontite in hot spring deposits 353
- H**
- HALL, R. B. (with G. R. HUNT), Identification of kaolins and associated minerals in altered volcanic rocks by infrared spectroscopy 76

- Halloysite**
 crystal dislocations 1
 EPR, Mössbauer spectroscopy, Fe content, crystallinity index 23
 growth mechanisms in New Zealand tephra 1
 outgrowths due to inclusions 1
 SEM, TEM, in New Zealand tephra 1
 squat ellipsoids, tubes from allophane, feldspar 1
- HANSON, R. F.** (with R. ZAMORA and W. D. KELLER), Nacrite, dickite, and kaolinite in one deposit in Nayarit, Mexico 451
- HAWKINS, D. B.**, Kinetics of glass dissolution and zeolite formation under hydrothermal conditions 331
- Hectorite**
 alkylphosphoric acid adsorption on, in decane 285
 -alkylphosphoric acid complex, IR 285
 Na-hectorite, composition, surface area, CEC, AEC, basal spacing 285
 silica-intercalated, synthesis, XRD, IR, surface area, cation exchange 153
- HELLER-KALLAI, L.** (with I. ROZENSON), Mössbauer studies of palygorskite and some aspects of palygorskite mineralogy 226
- Hematite**
 activation energy, TEM 269
 dissolution rate in hydrochloric, perchloric acid 269
- HENMI, TERUO** (with KAZUHIKO TANGE, TETSUO MINAGAWA, and NAGANORI YOSHINAGA), Effect of $\text{SiO}_2/\text{Al}_2\text{O}_3$ ratio on the thermal reactions of allophane II. Infrared and X-ray powder diffraction data 124
- Herbicide** (see Picloram, Paraquat, Diquat, Thionine)
- HERMOSIN, M. C.** (with J. L. PEREZ RODRIGUEZ), Interaction of chlordimeform with clay minerals 143
- Heulandite** (see also Clinoptilolite)
 -clinoptilolite intermediate, in Green River Formation, chemical analysis 365
 -group minerals, authigenic, chemical analyses, SEM, petrography 365
 -group minerals, authigenic, in tuff of Green River Formation 365
 synthesis from rhyolitic volcanic glass, oligoclase in open hydrothermal system 171
 synthetic, distinction from clinoptilolite by heating test 171
 synthetic, XRD, SEM, alteration to wairakite 171
- HEWAT, A. W.** (with J. M. ADAMS), Hydrogen atom positions in dickite 316
- HILL, R. J.**, Hydrogen atoms in boehmite: A single crystal X-ray diffraction and molecular orbital study 435
- Hofmann-Klemen effect**
 determination of tetrahedral substitution in dioctahedral smectite by 260
- Hot spring** (see also Hydrothermal)
 formation of laumontite, thenardite, Sespe Hot Springs, California 353
 water, origin, mineral precipitation, Sespe Hot Springs, California 353
 waters, chemical analysis, isotopic composition, Sespe Hot Springs, California 353
- HOWARD, J. J.**, Lithium and potassium saturation of illite/smectite clays from interlaminated shales and sandstones 136
- HUANG, P. M.** (with D. W. OSCARSON and W. K. LIAW), Role of manganese in the oxidation of arsenite by freshwater lake sediments 219
- HUFF, W. D.** (with A. G. TÜRKMEOGLU), Chemical characteristics and origin of Ordovician K-bentonites along the Cincinnati Arch 113
- Humic acid**
 -kaolinite complexes, electrical properties, surface properties 413, 423
 -kaolinite complexes, electrophoresis 423
 -kaolinite complexes, potentiometric, conductometric titrations 413
- HUNT, G. R.** (with R. B. HALL), Identification of kaolins and associated minerals in altered volcanic rocks by infrared spectroscopy 76
- Hydrochloric acid**
 dissolution of iron oxides, oxyhydroxides in 269
- Hydrogen**
 atomic coordinates of, in dickite by neutron diffraction 316
 -bond geometry in dickite, by neutron diffraction 316
 positions in boehmite, by single crystal X-ray diffraction, molecular orbital studies 435
- Hydrogen atom positions in dickite**, by J. M. Adams and A. W. Hewat 316
- Hydrogen atoms in boehmite: A single crystal X-ray diffraction and molecular orbital study**, by R. J. Hill 435
- Hydrothermal**
 alteration, remote sensing of alunite, kaolin-group minerals by mid-IR spectroscopy 76
 conversion of smectite to mixed-layer illite/smectite in Na, K solutions 129
 deposit of kaolinite, nacrite, dickite, mineralogy of, Nayarit, Mexico 451
 formation of pollucite, uraninite, weeksite by reaction of Cs, U, with shale, clay minerals 299
 hot spring formation of laumontite, thenardite 353
 kinetics of volcanic glass dissolution and zeolite formation under hydrothermal conditions 331
 origin of Cr-dickite, Cr-kaolinite in epithermal sulfide vein 213
 reaction of shale, clay minerals with Ca, U in spent nuclear fuel elements 299
 roseki deposit, Ca-bearing rectorite in 236
 synthesis of Ca-zeolites, feldspar, montmorillonite in open system 171

- synthesis of Ca-zeolites, feldspar, montmorillonite, influence of temperature, $\text{SiO}_2/\text{Al}_2\text{O}_3$ ratio, and Ca/alkali ratio, of starting material 171
- synthesis of clinoptilolite, phillipsite, mordenite from volcanic glass 331
- synthesis of kaolinite-like products by treatment of aluminosilicate gels 446
- vermiculite formation in hot marine brines, Atlantis II Deep, Red Sea 454
- Hydrothermal formation of a kaolinite-like product from noncrystalline aluminosilicate gels**, by C. R. De Kimpe, H. Kodama, and R. Rivard 446
- Hydrothermal reactions of clay minerals and shales with cesium phases from spent fuel elements**, by Sridhar Komarneni and W. B. White 299
- Hydrothermal vermiculite from the Atlantis II Deep, Red Sea**, by Arieh Singer and Peter Stoffers 454
- Hydroxyl
- atomic coordinates of, in dickite, by neutron diffraction 316
 - groups in montmorillonite by near-IR and diffuse reflectance spectroscopy 157
 - orientation in boehmite, by molecular orbital study 435
- I
- Identification of kaolins and associated minerals in altered volcanic rocks by infrared spectroscopy**, by G. R. Hunt and R. B. Hall 76
- Illite
- boron adsorption on, as function of B concentration in solution, pH 198
 - chlordimeform adsorption complexes, XRD, IR 143
 - formation of pollucite by hydrothermal reactions with Cs and 299
 - hydrothermal reaction of Cs phases 299
 - illitization in Eocene sandstone, shale, limitation by K availability 136
 - immobilization of Cs from spent nuclear fuel elements by ion exchange and reaction with 299
 - in Jurassic black shale, mudstone, XRD 31
 - in pores of petroleum reservoir sandstone, SEM 233
 - nonoxidation of As(III) to As(V) by 219
 - rich soil clay, equilibration in bottom-sediment environment 17
 - rich soil clay, XRD, surface area, CEC, extractable Fe content 17
 - /smectite, chemical analysis of, in Ordovician K-bentonites 113
 - /smectite, Eocene shale, sandstone, chemical analysis 136
 - /smectite, formation from montmorillonite by K-, Na-treatment, conversion rate, mechanism 129
 - /smectite in Eocene sandstone, shale, percentage of expandable layers 136
 - /smectite, K-, Li-treated, EG-expanded, XRD 136
 - /smectite, percentage illite in, in shales, bentonite of Mancos Shale 249
 - /smectite vs. coal rank, Mancos Shale 249
 - /smectite with rectorite ordering, in Ordovician K-bentonites 113
 - /smectite, XRD 129, 209
 - /smectite, XRD, in Mancos Shale 249
 - /smectite, XRD percentage of expandable layers 129
 - XRD 17, 31, 143
- Imogolite
- "structures," progressive decomposition by thermal treatment of allophane 124
- Infrared spectra of sulfolane adsorbed on cation-substituted montmorillonites**, by V. Lorprayoon and R. A. Condrate, Sr. 71
- Infrared spectroscopy (IR)
- allophanes of different $\text{SiO}_2/\text{Al}_2\text{O}_3$ ratios 124
 - Ca-bearing rectorite, from roseki deposit 236
 - chlordimeform complexes with montmorillonite, illite, vermiculite 143
 - chrysotile ground in water, hydrocarbons, alcohol 161
 - Cr-dickite, Cr-kaolinite from epithermal sulfide vein 213
 - mid-IR spectra of alunite, kaolin-group minerals 76
 - montmorillonite-, hectorite-, celadonite-, kaolinite-alkylphosphoric acid complexes 286
 - nacrite, hydrothermal deposit, Nayarit, Mexico 451
 - near, of montmorillonite, dehydrated montmorillonite 157
 - NH_4 -treated dioctahedral smectite, for degree of tetrahedral substitution, interlayer surface heterogeneity 260
 - NH_4 -treated smectites, vermiculite after thermal treatment 260
 - normal, heated sepiolite, palygorskite 226
 - picloram complexes with Al-, Fe^{3+} -, Cu^{2+} -montmorillonite and hydrous oxide-coated montmorillonite 191
 - products of hydrothermal treatment of aluminosilicate gels 446
 - quaternary ammonium-montmorillonite complexes 294
 - quaternary ammonium-montmorillonite-polystyrene complexes 294
 - remote sensing of alunite, kaolin-group minerals by 76
 - silica-hectorite intercalation complex 153
 - sulfolane adsorbed on cation-substituted montmorillonites 71

- synthetic Al-goethites as function of Al content 91
- Infrared spectroscopy of picloram interactions with Al(III)-, Fe(III)-, and Cu(II)-saturated and hydrous oxide-coated montmorillonite**, by Y. Aochi and W. J. Farmer 191
- Interaction of chlordimeform with clay minerals**, by M. C. Hermosin and J. L. Perez Rodriguez 143
- Interactions of some large organic cations with bentonite in dilute aqueous systems**, by D. R. Narine and R. D. Guy 205
- Intercalation**
alkylammonium montmorillonite and polystyrene, preparation, IR, electrical properties 294
complex, silica-hectorite, synthesis, XRD, IR, surface area, cation exchange 153
- Interlayer**
adsorption of chlordimeform in montmorillonite at charge sites 143
brucitic, fixation of, in trioctahedral smectite to mixed-layer phase 31
EG adsorption on amine-substituted montmorillonites 60
EG in K-, NH₄-saturated montmorillonite, calculation of layer charge 47
EG, water in K-, NH₄-treated montmorillonite 40
fixation of silica by oxidation, hydrolysis of hectorite-silicon acetylacetonate complex 153
hydroxy-interlayered vermiculite, effect of photolytic oxalate treatment on 429
ligand formation of sulfolane in cation-substituted montmorillonite 71
surface heterogeneity of NH₄⁺-treated dioctahedral smectite by IR 260
uranium hexahydrate in montmorillonite 10
- Interstratification (see also Mixed layer)**
calibration of long spacings of, by long-spacing organics 67
chlorite/smectite, formation from trioctahedral smectite by fixation of brucitic layer 31
chlorite/smectite, formation in Jurassic black shale, mudstone 31
chlorite/smectite, XRD, chemical analysis 31
EG, water with K-, NH₄-treated montmorillonite, XRD, distribution of layers 40
EG, with K-, NH₄-treated montmorillonite, layer charge calculation 47
illite/smectite in Eocene sandstone, shale, chemical analysis 136
illite/smectite in Eocene sandstone, shale, percent expandable layers 136
illite/smectite, in Ordovician K-bentonites, chemical analysis, formation from smectite 113
illite/smectite in shales, bentonites of Mancos Shale 249
illite/smectite, K-, Li-treated, EG-expanded, XRD 136
illite/smectite, percent illite vs. degree of burial metamorphism in Mancos Shale 249
illite/smectite vs. coal rank, Mancos Shale 249
illite/smectite with rectorite ordering in Ordovician K-bentonites 113
illite/smectite, XRD, Mancos Shale 249
margarite/beidellite (Ca-rectorite) from roseki deposit, XRD, IR, TEM, DTA, chemical analysis 236
- Ion-exchange resin**
open system dissolution of phlogopite using 107
IR (see Infrared spectroscopy)
- Iron**
Al-goethite, synthesis, properties, stability as function of Al content 91
content of kaolin-group minerals, effect on EPR, Mössbauer spectra 23
extractability, from illite-rich soil clays in bottom-sediment environments 17
extraction of, from Virginia soil clays, by photolytic oxalate treatment 429
in ferric state in kaolin-group minerals 23
in marine hydrothermal vermiculite, Atlantis II Deep, Red Sea 454
-montmorillonite, -hydrous oxide-coated montmorillonite, IR of picloram complexes with 191
octahedral occupancy of sepiolite, palygorskite, effect on dehydroxylation, by Mössbauer spectroscopy 226
oxide variation with bulk density in diabase saprolite 184
oxides, oxyhydroxides, dissolution of, in hydrochloric, perchloric acids 269
oxides, oxyhydroxides, TEM, activation energy 269
-rich smectite, formation in oxidized zone of diabase saprolite 184
- Isomerization**
of parathion on Ca-attapulgite, mechanism, effect of structural, hydration changes 53
- Isotopic ratios**
O¹⁸/O¹⁶, D/H of deep sea sediments, Aleutian Trench 309
O¹⁸/O¹⁶, D/H of hot spring water precipitating laumontite, thenardite 353
- IYENGAR, S. S. (with L. W. ZELAZNY and D. C. MARTENS)**, Effect of photolytic oxalate treatment on soil hydroxy-interlayered vermiculites 429
- K**
- Kaolin**
-group minerals, effect of layer orientation on EPR 23
-group minerals, Fe content, crystallinity index, EPR, Mössbauer spectroscopy 23

- group minerals, mid-IR spectra, remote sensing by mid-IR spectroscopy 76
 - group minerals, state of iron in by Mössbauer spectroscopy 23
 - Kaolinite**
 - alkylphosphoric acid adsorption on, in decane 285
 - alkylphosphoric acid complex, IR 285
 - boron adsorption of, as function of pH, B concentration in solution 198
 - chlordimeform adsorption complexes, XRD 3
 - content of diabase saprolite, variation with bulk density 184
 - Cr-bearing, from epithermal sulfide vein, XRD, IR, chemical analysis 213
 - electrical conductivity, surface characteristics 413, 423
 - electrophoresis 423
 - Fe content, crystallinity index, EPR, Mössbauer spectroscopy 23
 - formation in reduced zone of diabase saprolite 184
 - H⁺-, composition, surface area, CEC, AEC, basal spacing 285
 - humic acid complexes, electrical conductivity, surface characteristics 413, 423
 - humic acid complexes, potentiometric conductometric titration 413
 - hydrothermal, cathode luminescence 451
 - like products by hydrothermal treatment of aluminosilicate gels 446
 - mid-IR spectra, remote sensing by mid-IR spectroscopy 76
 - nonoxidation of As(III) to As(V) by 219
 - with nacrite, dickite, in hydrothermal deposit, Nayarit, Mexico, XRD, SEM 451
 - KATO, CHUZO** (with **KAZUYUKI KURODA** and **HIDEYUKI TAKAHARA**), Preparation and electrical properties of quaternary ammonium montmorillonite-polystyrene complexes 294
 - KELLER, W. D.** (with **R. F. HANSON** and **R. ZAMORA**), Nacrite, dickite, and kaolinite in one deposit in Nayarit, Mexico 451
 - KEREN, R.** (with **U. MEZUMAN**), Boron adsorption by clay minerals using a phenomenological equation 198
 - Kerr, P. F.**
 - obituary 160
 - KHEORUENROMNE, I.** (with **L. R. GARDNER** and **H. S. CHEN**), Geochemistry and mineralogy of an unusual diabase saprolite near Columbia, South Carolina 184
 - Kinetic model of zeolite paragenesis in tuffaceous sediments**, by **W. E. Dibble, Jr.** and **W. A. Tiller** 323
 - Kinetics**
 - dissolution, of phlogopite in open, closed systems 101, 107
 - Mg-, Al-, Si-, K-, F-release by carbonic acid dissolution of phlogopite 101, 107
 - Mg-extraction from ground chrysotile 161
 - model, zeolite paragenesis in tuffs 323
 - of dissolution/growth reactions of volcanic glass 323
 - of glass dissolution and zeolite formation under hydrothermal conditions 331
 - smectite to illite conversion rate, mechanism 129
 - Kinetics of glass dissolution and zeolite formation under hydrothermal conditions**, by **D. B. Hawkins** 331
 - KIRKMAN, J. H.**, Morphology and structure of halloysite in New Zealand tephra 1
 - KNOWLTON, G. D.** (with **T. R. WHITE** and **H. L. MCKAGUE**), Thermal study of types of water associated with clinoptilolite 403
 - KODAMA, H.** (with **C. R. DE KIMPE** and **R. RIVARD**), Hydrothermal formation of a kaolinite-like product from noncrystalline aluminosilicate gels 446
 - KOMARNENI, SRIDHAR** (with **W. B. WHITE**), Hydrothermal reactions of clay minerals and shales with cesium phases from spent fuel elements 299
 - KOMUSINSKI, J.** (with **L. STOCK** and **S. M. DUBIEL**), Application of electron paramagnetic resonance and Mössbauer spectroscopy in the investigation of kaolinite-group minerals 23
 - KURODA, KAZUYUKI** (with **CHUZO KATO** and **HIDEYUKI TAKAHARA**), Preparation and electrical properties of quaternary ammonium montmorillonite-polystyrene complexes 294
- L
- LAHANN, R. W.** (with **H. E. ROBERSON**), Smectite to illite conversion rates: Effects of solution chemistry 129
 - Lake sediments**
 - oxidation of As(II) to As(V) by, role of Mn in 219
 - Laumontite**
 - authigenic, associated with K-feldspar, quartz, gypsum, thenardite in hot spring deposit 353
 - authigenic, hot spring deposit, XRD, SEM, chemical composition 353
 - Layer charge**
 - calculation of, K-, NH₄-treated montmorillonites, EG interstratification complexes 47
 - montmorillonites 40, 47
 - Lepidocrocite**
 - activation energy, TEM 269
 - dissolution rate in hydrochloric, perchloric acid 269
 - Lepidolite**
 - 2M₁, Biskupice, Czechoslovakia, composition by electron microprobe 81
 - 2M₁, Biskupice, Czechoslovakia, redetermination of crystal structure, 81
 - 2M₁, structural features, comparison with other Li-micas 81

Levynite

- synthesis from basaltic volcanic glass in open hydrothermal system 171
- synthetic, XRD, SEM 171

LI^{AW}, W. K. (with D. W. OSCARSON and P. M. HUANG), Role of manganese in the oxidation of arsenite by freshwater lake sediments 219

LIN, F.-C. (with C. V. CLEMENCY), Dissolution kinetics of phlogopite. I. Closed system 101

LIN, F.-C. (with C. V. CLEMENCY), Dissolution kinetics of phlogopite. II. Open system using an ion-exchange resin 107

Lithium

- lepidolite-2M₁, redetermination of structure 81
- micas, comparison of structural features 81
- montmorillonite, water diffusion in, by quasielastic neutron scattering 241
- montmorillonite-water dispersions, interplate distances 73
- montmorillonite-water dispersions, neutron diffraction of 73
- treatment of illite/smectite in Eocene sandstone, shale 136

Lithium and potassium saturation of illite/smectite clays from interlaminated shales and sandstones, by J. J. Howard 136

LOCKHART, N. C., Electrical conductivity and the surface characteristics of kaolinitic clays and clay-humic acid complexes 423

LOCKHART, N. C., Surface characteristics of kaolinitic clays and clay-humic acid complexes by potentiometric and conductometric titrations 413

LOGAR, MIHOVIL (with ZORAN MAKSIMOVIĆ and J. L. WHITE), Chromium-bearing dickite and chromium-bearing kaolinite from Teslić, Yugoslavia 213

Long spacing

- organics for calibrating long spacings of interstratified minerals 67

Long-spacing organics for calibrating long spacings of interstratified clay minerals, by G. W. Brindley 67

LORPRAYOON, V. (with R. A. CONDRAE, SR.), Infrared spectra of sulfolane adsorbed on cation-substituted montmorillonites 71

M

MACHAJDIK, DANIEL (with BLAHOŠLAV ČIČEL), Potassium- and ammonium-treated montmorillonites. I. Interstratified structures with ethylene glycol and water 40

MACHAJDIK, DANIEL (with BLAHOŠLAV ČIČEL), Potassium- and ammonium-treated montmorillonites. II. Calculation of characteristic layer charges 47

Maghemite

- activation energy, TEM 269
- dissolution rate in hydrochloric and perchloric acids 269

Magnesium

dissolution from chrysotile ground in water, hydrocarbons, alcohol 161

extraction from chrysotile, kinetics of 161

loss of, in Ca-treated attapulgite, dehydrated Ca-treated attapulgite 53

oxide variation with bulk density in diabase saprolite 184

release during carbonic acid dissolution of phlogopite in open, closed systems 101, 107

-rich black shale, formation or trioctahedral smectite in 31

source for, in chlorite/smectite of Jurassic mudstone, black shale 31

Magnetite

dissolution rate in hydrochloric, perchloric acid 269

TEM, activation energy 269

MAKSIMOVIĆ, ZORAN (with J. L. WHITE and MIHOVIL LOGAR), Chromium-bearing dickite and chromium-bearing kaolinite from Teslić, Yugoslavia 213

Malachite green

adsorption on bentonite in aqueous systems 205

Manganese

role of, in oxidation of As(III) to As(V) by freshwater lake sediments 219

Margarite

beidellite (rectorite), from roseki deposit, XRD, TEM, IR, DTA, chemical analysis 236

MARTENS, D. C. (with S. S. IYENGAR and L. W. ZELAZNY), Effect of photolytic oxalate treatment on soil hydroxy-interlayered vermiculites 429

MCA^{TEE}, J. L., JR. (with J. L. BURBA, 3RD), Adsorption of ethylene glycol on amine-substituted montmorillonites 60

MCCULLOH, T. H. (with V. A. FRIZZELL, JR., R. J. STEWART, and IVAN BARNES), Precipitation of laumontite with quartz, thenardite, and gypsum at Sespe Hot Springs, western Transverse Ranges, California 353

MCKAGUE, H. L. (with G. D. KNOWLTON and T. R. WHITE), Thermal study of types of water associated with clinoptilolite 403

MCKAGUE, H. L. (with G. K. MONCURE and R. C. SURDAM), Zeolite diagenesis below Pahute Mesa, Nevada Test Site 385

Meeting announcement

Minerals and Chemicals in Glass and Ceramics—The Next Decade 320

symposium, Geologic Materials: An SEM View From Within 80

The Clay Minerals Society, 18th annual 160, 240

Zeo-Agriculture '82—A Conference on the Use of Natural Zeolites in Agriculture and Aquaculture 412

Metamorphism

burial, contact, transformation of smectite to illite/smectite during 249

- burial, vs. coal rank, Mancos Shale 249
 contact, burial, of clays in shales, bentonite of Mancos Shale 249
- Methylene blue**
 adsorption on bentonite in aqueous systems 205
- MEZUMAN, U. (with R. KEREN), Boron adsorption by clay minerals using a phenomenological equation 198
- Mica** (see also individual minerals)
 dissolution kinetics of phlogopite 101, 107
 hydrothermal reaction with Cs from spent nuclear fuel elements 299
 Li-, comparison of structural features 81
 phlogopite, chemical composition 101
 phlogopite, Mg-, Si-, K-, F-, Al-release in open, closed system 101, 107
- MICERA, G. (with F. CARIATI, L. ERRE, P. PIU, and C. GESSA), Water molecules and hydroxyl groups in montmorillonites as studied by near infrared spectroscopy 157
- MINAGAWA, TETSUO (with TERUO HENMI, KAZUHIKO TANGE, and NAGANORI YOSHINAGA), Effect of $\text{SiO}_2/\text{Al}_2\text{O}_3$ ratio on the thermal reactions of allophane II. Infrared and X-ray powder diffraction data 124
- Mineralogy, $\text{O}^{18}/\text{O}^{16}$, and D/H ratios of clay-rich sediments from Deep Sea Drilling Project Site 180, Aleutian Trench**, by E. V. Eslinger and H-W. Yeh 309
- Mixed layer** (see also Interstratification)
 illite/smectite, formation by K-, Na-treatment of montmorillonite, reaction kinetics, mechanism 129
 illite/smectite, in zeolitic tuffs, Nevada Test Site 385
 illite/smectite, XRD, percentage expandable layers 129
 regular chlorite/smectite (corrensite), XRD, SEM of, in petroleum reservoir sandstone 233
- Molecular orbital**
 calculations, of hydrogen atoms in boehmite 435
- MONCURE, G. K. (with R. C. SURDAM and H. L. MCKAGUE), Zeolite diagenesis below Pahute Mesa, Nevada Test Site 385
- Montmorillonite** (see also Smectite, Bentonite)
 adsorption of alkylphosphoric acid on, in decane 255
 adsorption of picloram by Al-, Fe^{3+} , Cu^{2+} -saturated and hydrous oxide-coated 191
 adsorption of uranium on 10
 Al-, Fe^{3+} -, Cu^{2+} -saturated, IR of picloram complexes with 191
 alkylammonium complexes with, preparation, IR, electrical properties 294
 -alkylphosphoric acid complex, IR 255
 amine-substituted, adsorption of EG on 60
 amine-substituted, XRD, TGA, surface area 60
 boron adsorption on, as function of pH, B concentration in solution 198
 cation-substituted, IR of sulfolane adsorption complexes 71
 cation-substituted, sulfolane-ligand formation 71
 -chlordimeform adsorption complexes, XRD, IR 143
 coated with hydrous oxides of Fe^{3+} , Cu^{2+} , Al, IR of picloram complexes with 191
 formation of pollucite by hydrothermal reaction of, with Cs 299
 H^+ -, composition, CEC, AEC, basal spacing, surface area 255
 hydrothermal reaction with Cs phases 299
 immobilization of Cs from spent nuclear fuel elements by ion exchange and reaction with 299
 interlayer uranium hexahydrate ion 10
 ion selectivity of $(\text{UO}_2)^{2+}$ vs. Na, K, Ca, Mg, Ba 10
 K-, NH_4 -treated, interstratification complex with EG, calculation of layer charge 47
 K-, NH_4 -treated, interstratified complexes with EG, water, XRD, distribution of layers 40
 Li-exchanged-water dispersions, neutron diffraction of, arrangement of plates in 73
 nonoxidation of As(III) to As(V) by 219
 synthesis along with Ca-zeolites from volcanic glass, oligoclase, in open hydrothermal system 171
 translational diffusion coefficient of water in 241
 uranyl, formation by ion exchange 10
 uranyl, structural formula, XRD 10
 water diffusion in, by quasielastic neutron scattering 241
 water molecules, OH groups, by near-IR and diffuse reflectance spectroscopy 157
- Mordenite**
 authigenic, in tuff of Green River Formation, formation from volcanic ash 365
 authigenic, in tuff of Green River Formation, morphology by SEM 365
 authigenic in zeolitic tuffs of Nevada Test Site, SEM, relation to clinoptilolite 385
 kinetics of formation from volcanic glass 331
 synthesis under hydrothermal conditions from volcanic glass 331
- Morphology**
 chrysotile, ground in water, hydrocarbons, alcohol, by SEM, TEM 161
 clinoptilolite, analcime, mordenite, cristobalite in zeolitic tuffs, Nevada Test Site, by SEM 385
 corrensite, illite, chlorite in pores of petroleum reservoir sandstone 233
 dickite by SEM, hydrothermal deposit, Nayarit, Mexico 451
 erionite, woolly, from mudstone joints in tuffaceous sediments, by SEM 378
 goethite, Al-, synthetic, by TEM as function of Al content 91
 halloysite, elongate tubes, squat ellipsoids 1

- halloysite, in New Zealand tephros, by SEM, TEM 1
- iron oxides, oxyhydroxides by TEM during acid dissolution 269
- kaolinite, by SEM, hydrothermal deposit, Nayarit, Mexico 451
- laumontite, euhedral, prisms, skeletal, authigenic in hot spring deposit 353
- nacrite by SEM, hydrothermal deposit, Nayarit, Mexico 451
- phillipsite in zeolitic tuff, by SEM 341
- rectorite, Ca-bearing, by TEM 236
- vermiculite, marine, hydrothermal, Atlantis II Deep, Red Sea, by TEM 454
- zeolites, Ca-, synthetic, by SEM 171
- Morphology and structure of halloysite in New Zealand tephros**, by J. H. Kirkman 1
- MORTLAND, M. M. (with T. ENDO and T. J. PINNAVAIA), Properties of silica-intercalated hectorite 153
- Mössbauer spectroscopy
book review, *Advanced Chemical Methods for Soil and Clay Minerals Research*, edited by J. W. Stucki and W. L. Banwart 319
- kaolinite, nacrite, dickite, halloysite 23
- normal and heated sepiolite, palygorskite 226
- state of Fe in kaolinite-group minerals by 23
- Mössbauer studies of palygorskite and some aspects of palygorskite mineralogy**, by L. Heller-Kallai and I. Rozenson 226
- Mudstone
deposition of, in Jurassic alkaline lake 31
- formation of trioctahedral smectite in 31
- transformation of trioctahedral smectite to chlorite/smectite in 31
- MUMPTON, F. A. (with R. A. SHEPPARD), Zeolites from sedimentary rocks 321
- N
- Nacrite
Fe content, EPR, Mössbauer spectroscopy 23
- hydrothermal, cathode-luminescence 451
- with kaolinite, dickite, in hydrothermal deposit, Nayarit, Mexico, XRD, IR, SEM, DTA 451
- Nacrite, dickite, and kaolinite in one deposit in Nayarit, Mexico**, by R. F. Hanson, R. Zamora, and W. D. Keller 451
- NADEAU, P. H. (with R. C. REYNOLDS, JR.), Burial and contact metamorphism in the Mancos Shale 249
- NARINE, D. R. (with R. D. GUY), Interactions of some large organic cations with bentonite in dilute aqueous systems 205
- Nepheline
synthesis of Ca-zeolites, feldspar, montmorillonite from, in open hydrothermal system 171
- Neutron diffraction
clay platelet arrangement by 73
- dickite, atomic coordinates of H, OH, in 316
- Li-montmorillonite-water dispersions 73
- Neutron diffraction studies on lithium montmorillonite-water dispersions**, by D. J. Cebula and R. H. Otewill 73
- Neutron scattering
book review, *Advanced Chemical Methods for Soil and Clay Minerals Research*, edited by J. W. Stucki and W. L. Banwart 319
- quasielastic, diffusion of water in montmorillonite by 241
- Nevada Test Site
authigenic analcime, clinoptilolite, mordenite, K-feldspar, cristobalite, albite in tuffs 385
- clinoptilolite-rich tuffs from, types of zeolite water in 403
- clinoptilolite-rich tuffs, thermal analysis, XRD 403
- porosity/permeability changes during tuff diagenesis 385
- zeolite diagenesis in tuffs, in closed hydrologic system 385
- New methylene blue
adsorption on bentonite in aqueous systems 205
- NISHIYAMA, TSUTOMU (with SUSUMU SHIMODA), Ca-bearing rectorite from Tooho Mine, Japan 236
- NMR (see Nuclear magnetic resonance)
- Noncrystalline (see Amorphous)
- Nuclear magnetic resonance (NMR)
book review, *Advanced Chemical Methods for Soil and Clay Minerals Research*, edited by J. W. Stucki and W. L. Banwart 319
- Nuclear waste
immobilization of Cs from spent nuclear fuel elements, by hydrothermal reaction with shale, clay minerals 299
- O
- O^{18}/O^{16} ratio
deep sea sediments, Aleutian Trench 309
- Obituary
Paul F. Kerr, distinguished member 160
- Octahedral composition
smectite in soil from basalt, by analyses of dissolved material 277
- smectite, intermediate di-, trioctahedral, in soil from basalt 277
- Oil (see also Petroleum)
emulsions, used, elimination of with Al-derivatives of chrysotile 69
- Oligoclase
synthesis of Ca-zeolites, feldspar, montmorillonite from, in open hydrothermal system 171
- Open system
dissolution kinetics of phlogopite in, using an ion-exchange resin 107
- formation of Ca-zeolites, feldspar, montmorillonite, simulation 171

Optical absorption

Cr-dickite, Cr-kaolinite in epithermal sulfide vein 213

Organic

cations, adsorption on bentonite in aqueous systems 205

kaolinite-humic acid complexes, electrical conductivity surface properties 423

kaolinite-humic acid complexes, potentiometric conductometric titrations 413

liquids, grinding of chrysotile in 161

liquids, solubility, surface area of chrysotile ground in 161

matter, soil, complexes with kaolinite 413, 423

Organo clays (see also Clay-organic complexes)

adsorption of large organic cations on bentonite 205

OSCARSON, D. W. (with P. M. HUANG and W. K. LIAW), Role of manganese in the oxidation of arsenite by freshwater lake sediments 219

Ostwald step rule

in kinetic model of zeolite paragenesis in tuffs 323

OTTEWILL, R. H. (with D. J. CEBULA), Neutron diffraction studies on lithium montmorillonite-water dispersions 73

Oxalate

effect of photolytic oxalate treatment on hydroxy interlayered vermiculite 429

extraction of Al, Fe by photolytic oxalate treatment of Virginia soil clays 429

Oxidation

As(III) to As(V), role of Mn in, by freshwater lake sediments 219

formation of Fe-rich smectite in oxidized zone of diabase saprolite 184

non-, of As(III) to As(V) by clay minerals 219

synthesis of Al-goethites by oxidation of FeCl_2 solution 91

P

Palygorskite (see also Attapulgite)

octahedral occupancy on dehydroxylation 226

XRD, IR, Mössbauer spectroscopy of heated 226

PAPIRER, EUGÉNE (with PATRICK ROLAND), Grinding of chrysotile in hydrocarbons, alcohol, and water 161

PAPIRER, EUGÉNE, Unusual application of chrysotile asbestos: The elimination of used oil emulsions 69

Paraquat

adsorption on bentonite in aqueous systems 205

Parathion (0,0-diethyl O-p-nitrophenyl phosphorothioate)

isomerization mechanism on Ca-attapulgite 53

stability of Ca on attapulgite as affected by structural and hydration changes 53

Perchloric acid

dissolution of iron oxides, oxyhydroxides in 269

PEREZ RODRIGUEZ, J. L. (with M. C. HERMOSIN), Interaction of chlordimeform with clay minerals 143

Pesticide (see Parathion, Chlordimeform)

Petrography

zeolitic tuffs, Green River Formation 365

zeolitic tuffs, Nevada Test Site 385

Petroleum (see also Oil)

reservoir sandstone, XRD, SEM of regular chlorite/smectite (corrensite), chlorite, illite in 233

symposium announcement, Geologic Materials: An SEM View From Within 80

Phillipsite

cation selectivity of high-, low-silica types 397

chemical analyses, high-, low-silica types 397

chemical composition, SEM, distribution in playa lake sediments 341

formation from hydrated rhyolitic glass, aluminosilicate gel in saline, alkaline solutions 341

ion-exchange isotherms for Na-K, Na-Ca 397

kinetics of formation from volcanic glass 331

standard free energy, enthalpy of ion-exchange reactions 397

synthesis from rhyolitic, basaltic volcanic glass, oligoclase, in open hydrothermal system 171

synthesis from volcanic glass under hydrothermal conditions 331

synthetic, XRD, SEM 171

Phlogopite

chemical analysis 101

dissolution kinetics of, in open, closed systems 101, 107

K-, Mg-, Al-, Si-, F-release from, in open, closed systems 101, 107

Photoacoustic spectroscopy

book review, *Advanced Chemical Methods for Soil and Clay Minerals Research*, edited by J. W. Stucki and W. L. Banwart 319

Photolytic reaction

effect on oxalate extraction of Al, Fe from Virginia soil clays 429

oxalate treatment of hydroxy-interlayered soil vermiculites 429

Picloram (4-amino-3,5,6-trichloropicolinic acid)

and deuterated picloram, IR 191

complexes with hydrous oxide-coated montmorillonite, formation, IR 191

complexes with montmorillonite saturated with Al, Fe^{3+} , Cu^{2+} , formation, IR 191

PINNAVAIA, T. J. (with T. ENDO and M. M. MORTLAND), Properties of silica-intercalated hectorite 153

PIU, P. (with F. CARIATI, L. ERRE, G. MICERA, and C. GESSA), Water molecules and hydroxyl groups in

- montmorillonites as studied by near infrared spectroscopy 157
- Playa lake
sediments, Green River Formation, zeolite authigenesis in 365
sediments, Teels Marsh, Nevada, zeolite authigenesis in 341
- Pollucite
Cs immobilization from spent nuclear fuel elements by formation of, from shale, clay minerals 299
formation from shale, montmorillonite, illite by hydrothermal reaction with Cs 299
- Pollution
elimination of used oil emulsions with chrysotile asbestos 69
role of Mn in oxidation of As(III) to As(V) by freshwater lake sediments 219
- Polymerization
of silica in thermal reactions of allophane 124
- Polystyrene
complexes with quaternary ammonium montmorillonite, IR, preparation, electrical properties 294
- Porosity and permeability
changes during zeolite diagenesis in tuff at Nevada Test Site 385
tuffs, Nevada Test Site 385
- POSNER, A. M. (with P. S. SIDHU, R. J. GILKES, R. M. CORNELL, and J. P. QUIRK), Dissolution of iron oxides and oxyhydroxides in hydrochloric and perchloric acids 269
- Potassium
fixation of smectite to yield illite/smectite in Ordovician K-bentonites 113
release during carbonic acid dissolution of phlogopite in open, closed systems 101, 107
-treated montmorillonite/EG interstratified complexes, calculation of layer charge 47
-treated montmorillonite, interstratified structures with EG and water, XRD, distribution of layers 40
treatment, hydrothermal, of montmorillonite to form illite/smectite 129
treatment of illite/smectite in Eocene sandstone, shale 136
- Potassium- and ammonium-treated montmorillonites. I. Interstratified structures with ethylene glycol and water**, by Blahoslav Čičel and Daniel Machajdik 40
- Potassium- and ammonium-treated montmorillonites. II. Calculation of characteristic layer charges**, by Daniel Machajdik and Blahoslav Čičel 47
- Potassium feldspar (K-feldspar)
authigenic, formed from analcime, Green River Formation 365
authigenic, in tuff of Green River Formation 365
authigenic, SEM of, in zeolitic tuff, Green River Formation 365
authigenic, zeolitic tuffs, Nevada Test Site, SEM, petrography 385
role in kinetic model of zeolite paragenesis in tuffs 323
synthesis with Ca-zeolites from rhyolitic volcanic glass in open hydrothermal system 171
- Powellite
formation by reaction of Ca-montmorillonite with beta-Cs₂U₂O₇ 299
product of spent nuclear fuel elements with clays, shales 299
- Precipitation of laumontite with quartz, thenardite, and gypsum at Sespe Hot Springs, western Transverse Ranges, California**, by T. H. McCulloh, V. A. Frizzell, Jr., R. J. Stewart, and Ivan Barnes 353
- Preparation and electrical properties of quaternary ammonium montmorillonite-polystyrene complexes**, by Chuzo Kato, Kazuyuki Kuroda, and Hideyuki Takahara 294
- Properties of silica-intercalated hectorite**, by T. Endo, M. M. Mortland, and T. J. Pinnavaia 153
- Pyrophyllite
mid-IR spectra 76
remote sensing of, by mid-IR spectroscopy 76
- Q
- Quaternary ammonium complexes
with montmorillonite, polystyrene, preparation, IR, electrical properties 294
- QUIRK, J. P. (with P. S. SIDHU, R. J. GILKES, R. M. CORNELL, and A. M. POSNER), Dissolution of iron oxides and oxyhydroxides in hydrochloric and perchloric acids 269
- R
- RATTERMAN, N. G. (with R. C. SURDAM), Zeolite mineral reactions in a tuff in the Laney Member of the Green River Formation, Wyoming 365
- Rectorite (allevardite)
Ca-bearing, from roseki deposit, XRD, IR, DTA, TEM, chemical analysis 236
-type ordering in illite/smectite in Ordovician K-bentonite 113
- Red beds
book review, *Continental Red Beds*, by P. Turner 79
- Redetermination of the lepidolite-2M₁ structure**, by T. H. Swanson and S. W. Bailey 81
- Relative humidity (RH)
effect on translational diffusion coefficient of montmorillonite 241

- Remote sensing
by mid-IR spectroscopy of alunite, kaolin-group minerals 76
- Resistivity
volume, of alkylammonium montmorillonite-poly-styrene complexes 294
- REYNOLDS, JR., R. C. (with P. H. NADEAU), Burial and contact metamorphism in the Mancos Shale 249
- RH (see Relative humidity)
- RHOTON, F. A. (with N. E. SMECK), Equilibration of clays in natural and simulated bottom-sediment environments 17
- RIVARD, R. (with C. R. DE KIMPE and H. KODAMA), Hydrothermal formation of a kaolinite-like product from noncrystalline aluminosilicate gels 446
- ROBERSON, H. E. (with R. W. LAHANN), Smectite to illite conversion rates: Effects of solution chemistry 129
- ROLAND, PATRICK (with EUGÈNE PAPIRER), Grinding of chrysotile in hydrocarbons, alcohol, and water 161
- Role of manganese in the oxidation of arsenite by fresh-water lake sediments**, by D. W. Oscarson, P. M. Huang, and W. K. Liaw 219
- Roseki deposit
basal spacing of Ca-bearing rectorite from 236
beidellite/margarite (rectorite) from, XRD, IR, DTA, chemical analysis, TEM 236
- ROZENSON, I. (with L. HELLER-KALLAI), Mössbauer studies of palygorskite and some aspects of palygorskite mineralogy 226
- RUTSTEIN, M. S., book review, *Short Course Notes on Mineralogical Techniques of Asbestos Determination*, edited by R. L. Ledoux 459
- S
- Saline minerals
halite, trona, burkeite, mirabilite, gaylussite in efflorescent crusts, in playa lake sediments, Teels Marsh, Nevada 341
- Saprolite
diabase, formation of kaolinite, Al-rich smectite in 184
diabase, geochemical, mineralogical discontinuities in 184
- Scanning electron microscopy (SEM)
analcime, clinoptilolite, mordenite, albite, cristobalite in zeolitic tuffs, Nevada Test Site 385
attapulgite, Ca-treated, dehydrated Ca-treated attapulgite 53
chlorite/smectite, regular (corrensite) in petroleum reservoir sandstone 233
chrysotile ground in water, hydrocarbons, alcohol 161
erionite, woolly in mudstone joints in tuffaceous sediments, Reese River, Nevada 378
halloysite, lattice-building mechanisms by 1
halloysite, outgrowths, squat ellipsoids, tubes 1
heulandite-group minerals, analcime, K-feldspar, mordenite in zeolitic tuff, Green River Formation 365
illite, chlorite, diagenetic in pores of petroleum reservoir sandstone 233
kaolinite, nacrite, dickite in hydrothermal deposit, Nayarit, Mexico 451
laumontite, thenardite, K-feldspar, gypsum in hot spring deposit 353
phillipsite, rhyolitic tuff, aluminosilicate gel, Teels Marsh, Nevada, 341
symposium announcement, *Geologic Materials: An SEM View From Within* 80
tephra, New Zealand 1
zeolites, authigenic, Green River Formation 365
zeolites, Ca-, synthetic 171
- Scanning electron microscopy of a regular chlorite/smectite (corrensite) from a hydrocarbon reservoir sandstone**, by R. E. Tompkins 233
- Scolecite
synthesis by alteration of early formed phillipsite 171
synthesis from basaltic glass in open hydrothermal system 171
synthetic, XRD, SEM 171
- Searlesite
authigenic, in mudstone, ash, playa lake sediments, Teels Marsh, Nevada 341
- Sedimentology
book review, *Continental Red Beds*, by P. Turner 79
equilibration of clays in bottom-sediment environments 17
symposium announcement, *Geologic Materials: An SEM View From Within* 80
trioctahedral smectite, chlorite/smectite in Jurassic black shales, mudstones 31
- SEM (see Scanning electron microscopy)
- Sepiolite
heated, XRD, IR, Mössbauer spectra 226
octahedral occupancy on dehydroxylation 226
- Serpentine (see also individual minerals)
book review, *Short Course Notes on Mineralogical Techniques of Asbestos Determination*, edited by R. L. Ledoux 459
- Shale
burial, contact metamorphism of clays, in Mancos Shale 249
deposition of, in Jurassic alkaline lakes 31
for Cs immobilization, chemical analysis 299
formation of pollucite by hydrothermal reaction of, with Cs 299
formation of trioctahedral smectite in 31
immobilization of Cs from spent nuclear fuel elements by hydrothermal reaction with 299
Mancos Shale, percent illite in illite/smectite in 249
reducing, formation of uraninite in, by hydrother-

- mal reaction with spent nuclear fuel elements 299
- transformation of trioctahedral smectite to chlorite/smectite in 31
- SHEPPARD, R. A. (with A. J. GUDE, 3RD), Woolly erionite from the Reese River zeolite deposit, Lander County, Nevada, and its relationship to other erionites 378
- SHEPPARD, R. A. (with F. A. MUMPTON), Zeolites from sedimentary rocks 321
- SHIBUE, YASUHIRO, Cation-exchange reactions of siliceous and aluminous phillipsites 397
- SHIMODA, SUSUMU (with TSUTOMU NISHIYAMA), Ca-bearing rectorite from Tooho Mine, Japan 236
- Siderite
- veins in diabase saprolite marking boundary between oxidized and reduced zones 184
- SIDHU, P. S. (with R. J. GILKES, R. M. CORNELL, A. M. POSNER, and J. P. QUIRK), Dissolution of iron oxides and oxyhydroxides in hydrochloric and perchloric acids 269
- SIFFERT, B. (with J. J. TRESCOL), Adsorption of alkylphosphoric acid on kaolinite and smectite in an organic medium (decane) 285
- Silicon
- release during carbonic acid dissolution of phlogopite in open, closed systems 101, 107
- silica-intercalated hectorite, synthesis, XRD, IR, surface area, cation exchange 153
- silica variation with bulk density in diabase saprolite 184
- SINGER, ARIEH (with PETER STOFFERS), Hydrothermal vermiculite from the Atlantis II Deep, Red Sea 454
- SiO₂-Al₂O₃ ratio
- effect of, on thermal reactions of allophane 124
- of starting material, influence of, on synthesis of Ca-zeolites, feldspar, montmorillonite 171
- SMECK, N. E. (with F. A. RHOTON), Equilibration of clays in natural and simulated bottom-sediment environments 17
- Smectite (see also Montmorillonite, Bentonite)
- authigenic, in zeolitic tuffs of Nevada Test Site, decrease with depth 385
- burial, contact metamorphism of, in Mancos Shale 249
- /chlorite, in Jurassic mudstone, black shale, XRD, chemical analysis, formation 31
- /chlorite regular (corrensite), XRD, SEM of, in petroleum reservoir sandstone 233
- /chlorite, transformation of trioctahedral smectite by fixation of brucitic interlayers 31
- content of diabase saprolite, variation with bulk density 184
- diocahedral, determination of interlayer surface heterogeneity in NH₄-treated, by IR 260
- diocahedral, determination of tetrahedral substitution in NH₄-treated, by IR 260
- formation in oxidized zone of diabase saprolite 184
- /illite, chemical analysis of, in Ordovician K-bentonites 113
- /illite, formation by K-, Na-treatment of montmorillonite 129
- /illite in Eocene sandstone, shale, chemical analysis, percent expandable layers 136
- /illite in shales, bentonites of Mancos Shale 249
- /illite, K-, Li-treated, EG-expanded, XRD 136
- /illite, XRD of, in Mancos Shale 249
- /illite, XRD, percent expandable layers 129
- /illites with rectorite ordering in Ordovician K-bentonites 113
- in kinetic model of zeolite paragenesis in tuffs 323
- nonoxidation of As(III) to As(V) by 219
- octahedral composition of, by analysis of dissolved material 277
- precursor of illite/smectite in Ordovician K-bentonites 113
- to illite conversion rate, mechanism in solid state 129
- trioctahedral, authigenic in Jurassic black shale 31
- trioctahedral, chemical analysis of, from Jurassic black shale 31
- trioctahedral, in Jurassic shale, mudstone, precursor to chlorite/smectite 31
- trioctahedral, intermediate di-, trioctahedral in basalt-derived soil, XRD, DTA, CEC 277
- trioctahedral, transformation to mixed-layer phase by fixation of brucitic interlayers 31
- variation of XRD properties with bulk density in diabase saprolite 184
- Smectite to illite conversion rates: Effects of solution chemistry**, by H. E. Roberson and R. W. Lahann 129
- SMILLIE, G. W. (with D. CURTIN), Composition and origin of smectite in soils derived from basalt in Northern Ireland 277
- Soil clay
- analysis of dissolved materials from, from weathered basalt 277
- DTA, XRD of, from weathered basalt 277
- effect of photolytic oxalate treatment on basal spacings, Al, Fe content of 429
- equilibration of, in bottom-sediment environment, Auglaise River, Ohio 17
- hydroxy-interlayered vermiculite, effect of photolytic oxalate treatment 429
- Source clays, CMS
- ferruginous smectite, SWa-1, nonoxidation of As(III) to As(V) by 219
- illite, IMt-1, nonoxidation of As(III) to As(V) by 219
- kaolinite, KGa-1, interaction with chlordimeform 143

- kaolinite, KGa-1, nonoxidation of As(III) to As(V) by 219
- kaolinite, KGa-1, XRD 143
- montmorillonite, SAz-1, hydrothermal reaction with Cs from spent nuclear fuel elements 299
- Na-montmorillonite, SWy-1, CEC, IR 143
- Na-montmorillonite, SWy-1, interaction with chlordimeform 143
- Na-montmorillonite, SWy-1, nonoxidation of As(III) to As(V) by 219
- palygorskite, PF1-1, octahedral occupancy, effect on dehydroxylation 226
- palygorskite, PF1-1, XRD, IR, Mössbauer spectroscopy 226
- vermiculite, VTx-1, nonoxidation of As(III) to As(V) by 219
- Stability of parathion on attapulgite as affected by structural and hydration changes**, by Zev Gerstl and Bruno Yaron 53
- STEWART, R. J. (with T. H. McCULLOH, V. A. FRIZZELL, JR., and IVAN BARNES), Precipitation of laumontite with quartz, thenardite, and gypsum at Sespe Hot Springs, western Transverse Ranges, California 353
- STOCH, L. (with J. KOMUSINSKI and S. M. DUBIEL), Application of electron paramagnetic resonance and Mössbauer spectroscopy in the investigation of kaolinite-group minerals 23
- STOFFERS, PETER (with ARIEH SINGER), Hydrothermal vermiculite from the Atlantis II Deep, Red Sea 454
- Sulfolane
- adsorption, ligand formation in cation-substituted montmorillonites 71
 - adsorption on cation-substituted montmorillonites, IR 71
- SURDAM, R. C. (with G. K. MONCURE and H. L. MCKAGUE), Zeolite diagenesis below Pahute Mesa, Nevada Test Site 385
- SURDAM, R. C. (with N. G. RATTERMAN), Zeolite mineral reactions in a tuff in the Laney Member of the Green River Formation, Wyoming 365
- SURDAM, R. C. (with M. W. TAYLOR), Zeolite reactions in the tuffaceous sediments at Teels Marsh, Nevada 341
- Surface area
- Al-derivatives of chrysotile 69
 - amine-substituted montmorillonites 60
 - bottom-sediment clays, function of time 17
 - Ca-treated attapulgite, dehydrated Ca-treated attapulgite, Quincy, Florida 53
 - chrysotile ground in water, hydrocarbons, alcohol 161
 - dissolution rate of iron oxides, oxyhydroxides per unit 269
 - H⁺-montmorillonite, Na⁺-montmorillonite, H⁺-kaolinite, Na⁺-hectorite 285
 - kaolinite-like products of hydrothermal treatment of aluminosilicate gels 446
 - silica-intercalated hectorite 153
 - synthetic Al-goethites, as function of Al content 91
- Surface characteristics of kaolinitic clays and clay-humic acid complexes by potentiometric and conductometric titrations**, by N. C. Lockhart 413
- Surface charge
- chrysotile, Al-derivatives of chrysotile 69
 - chrysotile, ground in water, hydrocarbons, alcohol 161
 - kaolinite, kaolinite-humic acid complexes 413, 423
- Surface properties
- kaolinite, kaolinite-humic acid complexes, surface charge 413, 423
- Surface reactions
- alkylphosphoric acid adsorption on kaolinite, hectorite, montmorillonite, celadonite 255
- SWANSON, T. H. (with S. W. BAILEY), Redetermination of the lepidolite-2M₁ structure 81
- Synthesis
- Al-goethites by oxidation of FeCl₂ 91
 - amine-substituted montmorillonites 60
 - Ca-zeolites, feldspars, montmorillonite, from volcanic glass, nepheline, oligoclase 171
 - Ca-zeolites, feldspars, montmorillonite in open hydrothermal system 171
 - Ca-zeolites, feldspars, montmorillonite, influence of temperature, SiO₂/Al₂O₃ ratio, and Ca/alkali ratio of starting materials on 171
 - clinoptilolite, phillipsite, mordenite from volcanic glass under hydrothermal conditions 331
 - kaolinite-like products by hydrothermal treatment of aluminosilicate gels 446
 - kinetics of glass dissolution and zeolite formation under hydrothermal conditions 331
 - silica-hectorite intercalation complex 153
 - uranyl montmorillonite 10
- Synthesis and properties of poorly crystalline hydrated aluminous goethites**, by M. V. Fey and J. B. Dixon 91
- T
- TAKAHARA, HIDEYUKI (with CHUZO KATO and KAZUYUKI KURODA), Preparation and electrical properties of quaternary ammonium montmorillonite-polystyrene complexes 294
- TANGE, KAZUHIKO (with TERUO HENMI, TETSUO MINAGAWA, and NAGANORI YOSHINAGA), Effect of SiO₂/Al₂O₃ ratio on the thermal reactions of allophane II. Infrared and X-ray powder diffraction data 124
- TAYLOR, M. W. (with R. C. SURDAM), Zeolite reactions in the tuffaceous sediments at Teels Marsh, Nevada 341

- TEM (see Transmission electron microscopy)
- Tephra (see Volcanic ash)
- Tetrahedral composition
- degree of substitution by IR of NH_4 -treated dioctahedral smectite 260
 - degree of substitution in dioctahedral smectites by Hofmann-Klemen effect 260
- TGA (see Thermal gravimetric analysis)
- Thenardite
- formation with laumontite, in hot spring deposit 353
- Thermal study of types of water associated with clinoptilolite**, by G. D. Knowlton, T. R. White, and H. L. McKague 403
- Thermal treatment (see also Thermal stability)
- allophane, effect of $\text{SiO}_2/\text{Al}_2\text{O}_3$ ratio on 124
 - Ca-attapulgitite, effect on isomerization of adsorbed parathion 53
 - Ca-attapulgitite, effect on water loss, surface area, CEC, Mg-release, morphology 53
 - chrysotile ground in water, hydrocarbons, alcohol 161
 - clinoptilolite-rich tuffs, types of zeolitic water by 403
 - NH_4 -treated dioctahedral smectite, IR of 260
 - sepiolite, palygorskite, effect on octahedral occupancy 226
 - TGA, DSC of clinoptilolite-rich tuffs, Nevada Test Site 403
- Thermalgravimetric analysis (TGA)
- amine-substituted montmorillonite 60
 - chrysotile ground in water, hydrocarbons, alcohol 161
 - clinoptilolite, heats of hydration of types of zeolitic water by 403
 - clinoptilolite-rich tuffs, Nevada Test Site by vacuum TGA 403
 - determination of EG adsorbed on amine-substituted montmorillonites 60
 - vermiculite, hydrothermal, Atlantis II Deep, Red Sea 454
- Thermodynamics
- Gibbs free energy of laumontite precipitation 353
 - heats of dehydration, zeolite water in clinoptilolite by TGA, DSC 403
 - kinetics of volcanic glass dissolution and zeolite formation under hydrothermal conditions 331
 - kinetics of zeolite paragenesis in tuffs 323
 - standard free energy, enthalpy of phillipsite in ion-exchange reactions 397
- Thionine
- adsorption on bentonite in aqueous systems 205
- THOMAS, R. K. (with D. J. CEBULA and J. W. WHITE), Diffusion of water in Li-montmorillonites studied by quasielastic neutron scattering 241
- Thomsonite
- synthesis from nepheline in open hydrothermal systems 171
 - synthetic, XRD, SEM 171
- TILLER, W. A. (with W. E. DIBBLE, JR.), Kinetic model of zeolite paragenesis in tuffaceous sediments 323
- Titration
- potentiometric, conductometric, of kaolinite, kaolinite-humic acid complexes 413
- TOMPKINS, R. E., Scanning electron microscopy of a regular chlorite/smectite (corrensite) from a hydrocarbon reservoir sandstone 233
- Transmission electron microscopy (TEM)
- Ca-bearing rectorite, from roseki deposit 236
 - chrysotile ground in water, hydrocarbons, alcohol 161
 - halloysite, tubes, squat ellipsoids 1
 - iron oxides, oxyhydroxides during acid dissolution 269
 - New Zealand tephra, halloysite outgrowths 1
 - synthetic Al-goethites as function of Al content 91
 - vermiculite, hydrothermal, Atlantis II Deep, Red Sea 454
- TRESCOL, J. J. (with B. SIFFERT), Adsorption of alkyl-phosphoric acid on kaolinite and smectite in an organic medium (decane) 285
- Trioctahedral smectite and interstratified chlorite/smectite in Jurassic strata of the Connecticut Valley**, by R. H. April 31
- TSUNASHIMA, A. (with G. W. BRINDLEY and MARIJA BASTOVANOV), Adsorption of uranium from solutions by montmorillonite; compositions and properties of uranyl montmorillonites 10
- Tuff
- clinoptilolite, heulandite-group minerals, mordenite in, Green River Formation 365
 - clinoptilolite-rich, desorption of water from, by thermal treatment 403
 - clinoptilolite-rich, Nevada Test Site, thermal analyses 403
 - illite/smectite formation in, Nevada Test Site 385
 - interstitial brines in, Teels Marsh, Nevada, chemical analyses 341
 - interstitial sodium carbonate brine in, Green River Formation 365
 - kinetic model of zeolite paragenesis in 323
 - rhyolitic, Teels Marsh, Nevada, precursor of aluminosilicate gel, phillipsite 341
 - rhyolitic, Teels Marsh, Nevada, SEM, chemical analysis 341
 - woolly erionite in tuffaceous sediments, Reese River Valley, Nevada 378
 - zeolite diagenesis in, Nevada Test Site, in open hydrologic system 385
 - zeolitic, authigenic cristobalite, albite, clinoptilolite, mordenite in, Nevada Test Site 385

- zeolitic, Green River Formation, SEM, petrography 365
- zeolitic, Nevada Test Site, chemical composition, calcite content, porosity/permeability 385
- TÜRKMEÑOGLU, A. G. (with W. D. HUFF), Chemical characteristics and origin of Ordovician K-bentonites along the Cincinnati Arch 113
- U
- Unit cell
- parameters, phlogopite, Madagascar 101
- parameters, symmetry, lepidolite-2M₁, Biskupice, Czechoslovakia 81
- parameters, synthetic Al-goethites as function of Al content 91
- parameters, woolly erionite, in tuffaceous sediments 378
- Unusual application of chrysotile asbestos: The elimination of used oil emulsions**, by Eugene Papirer 69
- Uranium
- adsorption by montmorillonite as function of ionicity 10
- formation of uraninite, weeksite by reaction of beta-Cs₂U₂O₇ with shale, clay minerals 299
- hexahydrate ion in interlayer of montmorillonite 10
- immobilization of, from beta-Cs₂U₂O₇ by hydrothermal reaction with shale, clay minerals 299
- uranyl ion exchange with montmorillonite 10
- uranyl montmorillonite, preparation, XRD, structural formula 10
- Uranyl ion (see Uranium)
- V
- Vegard's law
- compliance with, by synthetic Al-goethites 91
- Vermiculite
- chlodimeform adsorption complexes, XRD, IR 143
- Fe, marine hydrothermal, Atlantis II Deep, Red Sea, XRD, TEM, TGA, DTA, chemical analysis 454
- Fe, marine hydrothermal, formation from volcanic precursor 454
- hydroxy-interlayered, Al-, Fe-extraction by photolytic oxalate treatment 429
- hydroxy-interlayered, effect of photolytic oxalate treatment, in Virginia soil clays 429
- in deep sea sediments, change of δ D with depth 309
- nonoxidation of As(III) to As(V) by 219
- Viscosity
- chrysotile ground in toluene 161
- Volcanic ash (glass) (see also Tuff)
- dissolution/growth reactions in, kinetics 323
- formation of zeolites, K-feldspar from, in tuffs of Green River Formation 365
- kinetic model of zeolite paragenesis from, in tuffs 323
- kinetics of dissolution of and zeolite formation from, under hydrothermal conditions 331
- New Zealand tephra, halloysite growth in 1
- New Zealand tephra, SEM, TEM 1
- precursor of Ordovician K-bentonites 113
- rhyolitic, precursor of aluminosilicate gel, phillipsite, playa lake sediments, Teels Marsh, Nevada 341
- rhyolitic, Teels Marsh, Nevada, chemical composition, SEM 341
- synthesis of Ca-zeolites, K-feldspar, montmorillonite from, in open hydrothermal system 171
- synthesis of clinoptilolite, phillipsite, mordenite from, under hydrothermal conditions 331
- woolly erionite in mudstone joints, beneath ash bed, Reese River, Nevada 378
- zeolite diagenesis in, Nevada Test Site 385
- zeolitically altered, Nevada Test Site, SEM, chemical analyses, petrography 385
- Volcanic tuff (see Tuff, Volcanic ash)
- W
- Wairakite
- synthesis by alteration of early formed heulandite, epistilbite, analcime 171
- synthesis from rhyolitic, basaltic glass, nepheline, plagioclase in open hydrothermal system 171
- synthetic, XRD, SEM 171
- Water
- adsorbed on synthetic Al-goethite as function of Al content 91
- chrysotile ground in, Mg-dissolution kinetics, defiberization 161
- chrysotile ground in, surface area, surface charge, XRD, SEM, TEM, IR 161
- content of synthetic Ca-zeolites, influenced by alteration temperature 171
- diffusion of, in montmorillonite by quasielastic neutron scattering 241
- hot spring, chemical composition, isotopic analysis 353
- hot spring, precipitation of laumontite, thenardite from 353
- hydration of rhyolitic glass to aluminosilicate gel and phillipsite in alkaline, saline solutions 341
- interstratified complex with K-, NH₄-treated montmorillonites, XRD, distribution of layers 40
- Li-montmorillonite dispersions, neutron diffraction of 73
- loss by synthetic Al-goethites as function of Al content 91
- molecules, OH groups in montmorillonite by near-IR and diffuse reflectance spectroscopy 157

- river, equilibration of clays in bottom-sediment environment 17
- translational diffusion coefficient in montmorillonite 241
- two-step loss of bound, in Ca-attapulgite 53
- types of zeolitic, by TGA, DSC of clinoptilolite-rich tuffs, Nevada Test Site 403
- variation with bulk density in diabase sapolite 184
- Water molecules and hydroxyl groups in montmorillonites as studied by near infrared spectroscopy**, by F. Cariati, L. Erre, G. Micera, P. Piu, and C. Gessa 157
- Weathering**
- kaolinite, Fe-rich smectite formation in diabase sapolite 184
- trioctahedral smectite, intermediate di-, trioctahedral smectite in soils from basalt 277
- Weeksite**
- Cs analogue, formation by reaction of Cs with shales, clay minerals 299
- WHITE, J. L.** (with ZORAN MAKSIMOVIĆ and MIHOVIL LOGAR), Chromium-bearing dickite and chromium-bearing kaolinite from Teslić, Yugoslavia 213
- WHITE, J. W.** (with D. J. CEBULA and R. K. THOMAS), Diffusion of water in Li-montmorillonites studied by quasielastic neutron scattering 241
- WHITE, T. R.** (with G. D. KNOWLTON and H. L. MCKAGUE), Thermal study of types of water associated with clinoptilolite 403
- WHITE, W. B.** (with SRIDHAR KOMARNENI), Hydrothermal reactions of clay minerals and shales with cesium phases from spent fuel elements 299
- WIRSCHING, ULRIKE**, Experiments on the hydrothermal formation of calcium zeolites 171
- Woolly erionite from the Reese River zeolite deposit, Lander County, Nevada, and its relationship to other erionites**, by A. J. Gude, 3rd and R. A. Sheppard 378
- X
- XPS (see X-ray photoelectron spectroscopy)
- X-ray fluorescence analysis (XRF)
- K-bentonites, Ordovician 113
- X-ray photoelectron spectroscopy (XPS)
- book review, *Advanced Chemical Methods for Soil and Clay Minerals Research*, edited by J. W. Stucki and W. L. Banwart 319
- X-ray powder diffraction (XRD)
- allophanes of different SiO₂/Al₂O₃ ratios 124
- amine-substituted montmorillonites and EG complexes 60
- basal spacings of H⁺-kaolinite, H⁺-montmorillonite, Na⁺-montmorillonite, Na⁺-hectorite 285
- basal spacings, Virginia soil clays, before, after photolytic oxalate treatment 429
- Ca-bearing rectorite, from roseki deposit 236
- chlordimeform complexes with montmorillonite, illite, kaolinite, vermiculite, basal spacings 143
- chlorite/smectite, trioctahedral smectite in Jurassic black shale, mudstone 31
- chrysotile ground in water, hydrocarbons, alcohol 161
- corrensite from pores of petroleum reservoir sandstone 233
- Cr-dickite, Cr-kaolinite from epithermal sulfide vein 213
- estimates of zeolite products of hydrothermal treatment of volcanic ash 331
- Fe-vermiculite, marine hydrothermal, Atlantis II Deep, Red Sea 454
- heated sepiolite, palygorskite 226
- illite, 001 peak broadening, bottom-sediment clays, function of time 17
- illite/smectite reaction products of K-treated montmorillonite 136
- intermediate di-, trioctahedral smectite from basalt-derived soil 217
- interstratified illite/smectite in bentonites, shales of Mancos Shale 249
- kaolinite-, Fe-rich smectite-rich diabase sapolite 184
- kaolinite, nacrite, dickite in hydrothermal deposit, Nayarit, Mexico 451
- laumontite, thenardite, gypsum, in hot spring deposit 353
- long spacings of interstratified minerals, calibration with long-spacing organics 67
- mineral composition of zeolitic tuffs of Green River Formation 365
- mineralogy of zeolitic tuffs by, Teels Marsh, Nevada 341
- Ordovician K-bentonites 113
- percent illite in interstratified illite/smectite of shales, bentonites 249
- products of hydrothermal treatment of aluminosilicate gels 446
- smectites in basalt-derived soils 277
- synthetic Al-goethites, unit-cell parameters as function of Al content 91
- synthetic Ca-zeolites 171
- uranyl montmorillonite, variation with RH, temperature 17
- water, EG complexes of K-, NH₄-treated montmorillonites 40
- woolly erionite, in mudstone joints in tuffaceous sediments, Reese River Valley, Nevada 378
- zeolitic tuffs, Nevada Test Site 385
- XRD (see X-ray powder diffraction)
- XRF (see X-ray fluorescence analysis)
- Y
- YARON, BRUNO** (with ZEV GERSTL), Stability of parathion on attapulgite as affected by structural and hydration changes 53

- YEH, H-W. (with E. V. ESLINGER), Mineralogy, O¹⁸/O¹⁶, and D/H ratios of clay-rich sediments from Deep Sea Drilling Project Site 180, Aleutian Trench 309
- YOSHINAGA, NAGANORI (with TERUO HENMI, KAZUHIKO TANGE, and TETSUO MINAGAWA), Effect of SiO₂/Al₂O₃ ratio on the thermal reactions of allophane II. Infrared and X-ray powder diffraction data 124
- Z
- ZAMORA, R. (with R. F. HANSON and W. D. KELLER), Nacrite, dickite, and kaolinite in one deposit in Nayarit, Mexico 451
- ZELAZNY, L. W. (with S. S. IYENGAR and D. C. MARTENS), Effect of photolytic oxalate treatment on soil hydroxy-interlayered vermiculites 429
- Zeolite (see also individual minerals)
- analcime in Jurassic black shale, indicator of alkaline lake environment 31
 - authigenic laumontite, chemical analysis, SEM, XRD 353
 - authigenic laumontite, formation in hot spring deposit 353
 - authigenic clinoptilolite, heulandite, analcime, mordenite, SEM, chemical analysis, petrography 365
 - authigenic, in tuff of Green River Formation 365
 - Ca-zeolites, synthesis in open hydrothermal system, influence of temperature, SiO₂/Al₂O₃ ratio and Ca/alkali ratio of starting material 171
 - clinoptilolite, mordenite, analcime, Nevada Test Site, SEM, chemical composition, petrography 385
 - ΔG₀ of phillipsite from rhyolitic glass 341
 - diagenesis, Nevada Test Site, closed hydrologic system 385
 - kinetics of formation from volcanic glass 331
 - paragenesis, kinetic model of, in tuffaceous sediments 323
 - phillipsite, analcime, clinoptilolite in zeolitic tuff, formation, chemical composition, SEM 341
 - phillipsite, high-, low-silica types, chemical analyses 397
 - phillipsite, ion-exchange selectivity, isotherms 397
 - reactions in saline, alkaline lake waters 341
 - synthesis from volcanic ash under hydrothermal conditions 331
 - synthetic Ca-zeolites, XRD, SEM 171
 - water, types of, by TGA, DSC, in clinoptilolite-rich tuffs 403
 - woolly erionite, in mudstone joints in tuffaceous sediments, XRD, SEM, chemical composition 378
- Zeolite diagenesis below Pahute Mesa, Nevada Test Site**, by G. K. Moncure, R. C. Surdam, and H. L. McKague 385
- Zeolite mineral reactions in a tuff in the Laney Member of the Green River Formation, Wyoming**, by N. G. Ratterman and R. C. Surdam 365
- Zeolite reactions in the tuffaceous sediments at Teels Marsh, Nevada**, by M. W. Taylor and R. C. Surdam 341
- Zeolites from sedimentary rocks**, by R. A. Sheppard and F. A. Mumpton 321
- Zeolitic water
- loss of, in attapulgite at 110°C 53
 - types of, in clinoptilolite-rich tuffs by DTA, TGA, DSC 403
- Zeta potential
- chrysotile, Al-derivatives of chrysotile 69
 - chrysotile, ground in water, hydrocarbons, alcohol 161